产品目录 2019年

PAGID RACING

THE DIFFERENCE IN BRAKING

专业赛车制动产品

制动片 制动盘 制动液

PAGID RACING
THE DIFFERENCE IN BRAKING

索引

PAGID Racing 公司 6

质量&性能 8

赛车刹车片

PAGID RSL
ENDURANCE
RACING BRAKE PADS 12

PAGID RST
RALLY, SPRINT AND
STOCK CAR RACING BRAKE PADS 18

PAGID RS
ALLROUND
RACING BRAKE PADS 26

PAGID RSC
RACING BRAKE PADS FOR
CERAMIC COMPOSITE DISCS 32

PAGID RSH
RACING BRAKE PADS
FOR HISTORIC CARS 36



磨合
RACING BRAKE PADS 40

制动盘 42

制动液 48

车型应用列表
RACING BRAKE PADS 51

制动卡钳应用列表
RACING BRAKE PADS 77

型号列表
RACING BRAKE PADS 85

产品组合指引
RACING BRAKE PADS 137

技术资料 146



提示 148

72

PORSCHE
Deutsche Post
GT3 R
bott
SCHERER
BILSTEIN
SCHERER
bott
MICHELIN
MICHELIN

关于PAGID Racing

PAGID Racing是泰明顿公司的特有赛车品牌。 作为泰明顿集团的一员，TMD Performance 是PAGID Racing产品和超级跑车的高性能刹车片的全球唯一经销商。

制动产品的设计有着宽泛的操作条件，以产生可能的最高性能水平，同时有着许多可行的不同材料构想。 它们适合最流行的赛车和高性能制动钳，也可升级后安装到高性能车辆的制动钳内。

此外，PAGID Racing刹车片产品作为原装配件被使用在一系列经典高端系列车辆品牌，其中包括奥迪，布加迪，法拉利和保时捷。

凭借在勒沃库森和埃森（德国）和特洛伊（美国）的技术中心，TMD Performance 是少数能够在短时间内根据客户特定的技术要求开发和制造制动摩擦解决方案的公司之一。

PAGID Racing历史

2018年

在纽博格林举行的24小时系列比赛中，PAGID Racing车队获得了三个冠军和七个赛段的胜利。Manthey Racing 车队的912号赛车保时捷911 GT3 R稳获总冠军。

2018年

Luca Engstler摘得TCR亚洲系列赛桂冠，他的队友Mitchell Cheah 和 Diego Moran分别夺得第二和第三名，力魔车队同时获得车队冠军

2018年

K-PAX车队夺得倍耐力世界挑战赛GT组冠军

2018年

2018年FIA F3 世界锦标赛
车手Dan Ticktum, Motopark Academy 车队

2017年

PAGID Racing
赛车庆祝成立
30周年。

2016年

24 小时耐力赛中历史性的四连冠胜利
纽堡宁：AMG-黑隼车队携手梅赛德斯AMG GT3取得胜利。 总计七只团队凭借PAGID Racing的制动性能跃身前十。

2015年11月11日

TMDPERFORMANCE
A NISSHINBO GROUP COMPANY

BT Bremsen Technik股份有限公司变为
TMD Performance有限公司

2010年

泰明顿摩擦材料公司拥有PAGID Racing 100%股份

PAGID RACING
THE DIFFERENCE IN BRAKING

继出售BBA集团的汽车摩擦公司后，泰明顿摩擦材料公司诞生了。 泰明顿成为世界领先的摩擦制造商之一，并成为PAGID Racing的家园。

2000 年

2000 年

PAGID Racing研发了第一款专门用于碳陶瓷刹车盘的刹车片，适用于高性能跑车。

因此，在2000年，保时捷GT3 996和奔驰CL 55 AMG “F1限量版”成为世界第一款配陶瓷制动盘和PAGID赛车刹车片的街道版跑车。

PAGID Racing成为了新一届保时捷卡雷拉杯的刹车片冠名商。 一个延续了近四分之一个世纪的强大合作。

2000 年

1988 年

卡洛斯·塞恩斯是首位在拉力赛中使用PAGID 制动产品的车手之一。

1988 年

在两名德国赛车手Hans Joachim Stuck 和 WalterRöhrl的带领下，奥迪打入 Trans-Am系列，成为 200 turbo Quattro 制造商。配PAGID赛车刹车片，车队于1988年在13场比赛取得了6场胜利。

第一次使用“彩色背板” 黄色，红色，橙色和蓝色，使车队和车手具有高识别度 -成为汽车运动的首创。

1988 年

从向第一辆保时捷944 Toubo杯交付刹车片开始

1987 年

创立BT Bremsen Technik股份有限公司，其产品专门为竞技使用，以PAGID赛车刹车片为品牌销售产品。

1987年1月10日

以PAGID为品牌，PAG公司开始向市场推出商用车和拖车用的摩擦产品。 在随后的几年里，凭借其高性能和赛车车辆方面的专业知识，Pagid成长为一个知名品牌。

1953年

Presswerk AG（PAG）在德国埃森从事家具等相关产品制造。 同时，位于科斯维希的Hermann Kirchbach’sche Werke公司，委托它生产制动摩擦材料。

1925年

早期的制动过是带有简单木块的杠杆。 今天我们所熟知的车辆制动发展开始于当Walter Willson Cobbett Ltd有限公司意识到，他们纺织的皮带可以很容易地进行改造并且作为摩擦材料使用于汽车制动。

1878年

质量与性能

性能卓越

我们为自己产品的性能感到自豪，在众多领域中它们都是绝对标杆。 对我们来说，性能是指产品的摩擦水平，防热衰减，盘磨损和调制性等方面的特点。

安全性

安全是我们的首要考量。在我们产品开发的早期，已将安全放在绝对优先的位置，例如，焊接到基板的黄铜螺柱 提供了摩擦材料对基板的更强的锚固 - 即使在最极端的条件。

测试 & 创新

我们的产品持续接受全世界最具挑战性的真实测试- 仅要保证性能和耐用性的一致，而且还持续地缩小体积，并在实验室测试开发我们的产品，我们使用计算机辅助系统模拟在世界各地不同赛程的最艰难的测试。

原厂配套

我们的效率也被许多原装配套伙伴所证明。此外，制造商如阿斯顿马丁或马自达依靠我们的性能和可靠性。

PAGID RACING
THE DIFFERENCE IN BRAKING

质量 100%

所有的PAGID Racing产品都是采用最先进的技术程序所生产的。 我们不懈的生产要求是提供具最高质量水平的产品。

成功

几十年来，我们的全球合作伙伴和团队一直信赖我们的产品，每年都取得了无数的胜利和冠军头衔。 在很多比赛中，一半以上的参与者都使用我们的产品来参赛。 性能产生信赖！

磨合服务

我们的赛车刹车片和刹车盘可以提供“随时准比赛”的产品，全新产品在我们专用的电脑系统可以实现完美磨合

CHOPARD
KÜS
DEKRA
17
ADAC
prowin
KW

PAGID RSL

ENDURANCE
RACING BRAKE PADS

耐力赛中性能优异的摩擦材料

宽泛的工作温度范围

良好的调制和可控性

低热导率

保护刹车盘

线性刹停

与ABS系统实现非常好的协同工作

优异的释放特性

可用的RSL赛车刹车片产品系列

RSL 1	RSL 2	RSL 19	RSL 29	RSL D1

在我们的产品详细清单中可找到可用规格，从第85页起注。
PAGID Racing RSL 系列产品根据耐力赛最新的要求研发，并达到或超过汽车行业当前所要求的环保准。

磨合服务

您还可以购买我们的 “做好比赛准备” 赛车刹车片，在我们的电脑系统中设置了完美磨合。
可在第 40 页找到更多信息。 请向经销商咨询我们的 “磨合服务” 。

摩擦系数VS温度RSL



RSL1

- 高摩擦系数
- 长寿命刹车片和刹车盘
- 良好的摩擦稳定性 VS 温度



应用范围

用于GT赛车，房车和原型耐力赛。 由于高摩擦和优质调制，经常在冲刺赛中所使用。

产品介绍

RSL 1是一种含有钢和耐高温芳纶纤维的低金属树脂复合摩擦材料。可以在宽泛的温度范围内保持恒定的摩擦水平。它的低磨损率和保护刹车盘的特性使这种材料适合在耐力赛中使用。

PAGID RSL

ENDURANCE
RACING BRAKE PADS

RSL 2

- 中高级摩擦系数
- 长寿命刹车片和刹车盘
- 优异的摩擦稳定性 VS 温度





应用范围

GT赛车，房车和原型车耐力赛。 由于其出色的调制特性因而经常被用于冲刺赛中。

产品介绍

RSL 2是以RSL 1为基础研发，进一步提高了刹车片和刹车盘的耐用性及不同温度下的摩擦稳定性。它是一种含有钢和芳纶纤维的低金属树脂复合摩擦材料。此外，它在很宽的温度范围内能够保持恒定的摩擦水平。

RSL 19

+ 中级摩擦系数
+ 稳定的刹停
+ 非常保护刹车盘，长寿命刹车片





应用范围

在GT3 / GTE比赛中用于较重车型的后轮与前轮装配RSL 1或RSL 2搭配使用，在跑车或房车赛中用于较轻车型的前轮

产品介绍

RSL 19是一种含有钢和芳纶纤维的低金属树脂复合摩擦材料，可以在很宽的温度范围内保持恒定摩擦水平。该摩擦材料具有非常好的调制和释放特性。

PAGID RSL

ENDURANCE
RACING BRAKE PADS

RSL 29

- 中级摩擦系数
- 耐用且保护刹车盘的刹车片
- 易磨合

摩擦水平

咬合

抗热衰减性能

刹车盘寿命

刹车片寿命

调制

摩擦系数VS温度RSL 29



应用范围

多用于俱乐部比赛和赛道日，也常用于跑车赛、房车赛及原型车耐力赛中；因其具备出色的调制性也常用于冲刺赛中

产品介绍

RSL 29 具有非常好的调制和释放特性，是一种含有钢和芳纶纤维的低金属树脂复合摩擦材料。它能够保持稳定的中低摩擦水平，另一个优势是容易磨合。

RSL D1

- 后轮适用配方
- 刹车收放特性
- 良好的初始咬合
- 耐磨及有效保护刹车盘
- 低摩擦系数
- 良好的摩擦稳定性 VS 温度





应用范围

特别适用于具有高空气动力下压力水平的赛车，该产品具有宽泛的刹车平衡范围。

产品介绍

特别为赛车后轮应用研发。这种配方具有兼容特点，在开始制动时有助于保持车辆稳定并有效减少前轮刹车片的磨损。

PAGID RST

RALLY, SPRINT AND STOCK CAR RACING BRAKE PADS

冲刺和拉力赛材料，具有优良的性能特性

脚踏板快速响应线性刹停

任何温度下的恒定脚刹

抗热衰减和耐高温的刹车盘

良好的低温摩擦水平

优质的调制和可控性

可提供的RST产品系列

RST 1	RST 2	RST 3	RST 4	RST 5	RST D1

在我们的产品详细清单中可找到可用规格，从第85页起标注。 PAGID Racing RST系列产品根据拉力赛，冲刺赛和赛车赛的最新要求研发。 已达到或超过汽车行业当前所有生态标准。

磨合服务

您还可以购买我们的 “做好比赛准备” 赛车刹车片，在我们的电脑系统中设置了完美磨合。可在第 40 页找到更多信息。 请向经销商咨询我们的 “磨合服务” 。

摩擦系数VS温度RST



PAGID RST

RALLY, SPRINT AND STOCK CAR RACING BRAKE PADS

RST 1

+ 高摩擦系数
+ 高初始咬合
+ 渐进扭矩曲线
+ 高度耐热衰减

摩擦水平

咬合

抗热衰减性能

刹车盘寿命

刹车片寿命

调制



应用范围

拉力赛，GT赛车和房车赛赛道驾驶（冲刺），高压力方程式赛车，纳斯卡赛车。 适用于高扭矩小直径刹车盘的重型车。

产品介绍

RST 1具备非常高的摩擦等级和耐高温特性，是一种含有钢纤维的半金属树脂复合摩擦材料。出色的低温摩擦等级和初始咬合使这种摩擦材料非常适合拉力赛和纳斯卡系列赛。

PAGID RST

RALLY, SPRINT AND STOCK CAR RACING BRAKE PADS

RST 2

- 中高级摩擦系数
- 良好的初始咬合
- 中级渐进扭矩曲线
- 良好的脚刹感觉





应用范围

拉力赛，GT赛车和房车赛赛道驾驶（冲刺），纳斯卡赛车。也用于后轮与前轮装配RST 1配套使用；推荐高温的跑车赛及房车赛使用。

产品介绍

RST 2是一种含有钢纤维的半金属树脂复合摩擦材料。出色的低温摩擦水平和高初始咬合使这种摩擦材料非常适合拉力赛和纳斯卡系列赛。

RST 3

- 高摩擦系数
- 高初始咬合
- 渐进扭矩曲线
- 高度耐热衰减





应用范围

拉力赛，GT赛车和房车赛，原型赛车，方程式赛车，纳斯卡赛车。由于兼备咬和性、摩擦性和可控性的组合而被广泛使用。

产品介绍

RST 3是一种中高摩擦等级的含有钢钎维的金属陶瓷复合摩擦材料，是RST系列的完美补充，其突出特点是低热传导性。

PAGID RST

RALLY, SPRINT AND STOCK CAR RACING BRAKE PADS

RST 4

- 中级摩擦系数
- 良好的初始咬合
- 中级渐进扭矩曲线
- 耐高温性和热稳定性





应用范围

方程式赛车和开放轮赛车。用于拉力赛（柏油路和砾石）和所有前置发动机的汽车的后轮。 同时可在纳斯卡赛中的长椭圆形赛道中使用。

产品介绍

RST 4是一种含有钢钎维的半金属树脂复合摩擦材料。它具有中等摩擦等级和较强耐高温性能。

PAGID RST

RALLY, SPRINT AND STOCK CAR RACING BRAKE PADS

RST 5

- 最佳热管理
- 抗刹车液热衰减
- 极高的恢复性能
- 极高的摩擦系数





应用范围

专门为拉力赛设计开发。 在拉力赛中有各种既定的刹车片形状，特别是在WRC和Group R中。

产品介绍

优化的热量管理在低温到高温条件下都能够提供理想的性能。刹车生成的热量只停留在刹车片内，不会传递给制动液。凭借其高初始咬合和高摩擦水平，RST 5完美地实现高激进和高制动之间的平衡，为驾驶员提供了可靠性和卓越性能的感觉。

PAGID RST

RALLY, SPRINT AND STOCK CAR RACING BRAKE PADS

RST D1

- 后轮适用配方
- 独特的刹车收放特性
- 精确的调制和释放特性
- 低摩擦系数
- 良好的踏板感觉





应用范围

特别适用于具有高空气动力下压力水平的赛车，该产品具有宽泛的刹车平衡范围。

产品介绍

特别为赛车后轮应用研发。这种配方具有兼容特点，在开始制动时有助于保持车辆稳定并有效减少前轮刹车片的磨损。

BATTERY TENDER.
84
mazda
01

PAGID RS

ALLROUND
RACING BRAKE PADS

刹停中持续的良好踏板感觉

优异的释放特性

低热导率

优质全工况材料

保护刹车盘

易磨合

可提供的RS产品系列

RS 14	RS 34	RS 36	RS 42	RS 44

在我们的产品详细清单中可找到可用规格，从第85页起标注。 PAGID Racing RS系列根据最新赛车赛事要求研发，并达到或超过汽车行业当前所要求的环保标准。

摩擦系数VS温度RS



PAGID RS

ALLROUND
RACING BRAKE PADS

RS 14

- 中高级摩擦系数
- 良好的初始咬合
- 良好的调制和可控性
- 磨损率低和抗热衰减耐温高达700℃





应用范围

在俱乐部赛车和赛道日中的GT赛车和房车。

产品介绍

RS 14是一种含有钢和芳纶纤维的低金属树脂复合摩擦材料，在许多应用中表现了其功能良好的全能特性。

PAGID RS

ALLROUND
RACING BRAKE PADS

RS 34

- 适用于方程式比赛的高摩擦等级产品
- 快速初始咬合
- 调制优化
- 预估刹车片磨损状况
- 延长制动盘使用寿命



应用范围

装配铸铁刹车盘的方程式赛车和单座赛车

产品介绍

RS 34是一种专门为具有空气动力下压力设计的方程式赛车和单座赛车研发的摩擦材料。它的高摩擦等级和优化的摩擦曲线形状，使其具有良好的操控性，同时可以预估刹车片磨损状况。

PAGID RS

ALLROUND
RACING BRAKE PADS

RS 36

- 中等摩擦等级
- 优化的操控和调制特性
- 预估刹车片磨损状况
- 延长制动盘使用寿命



应用范围

装配铸铁制动盘的方程式赛车和单座赛车

产品介绍

RS 36是专门为具有相当的空气动力下压力设计的方程式赛车和单座赛车研发的摩擦材料，其摩擦曲线的特性使其具有出色调制性能，同时保护刹车盘。

PAGID RS

ALLROUND
RACING BRAKE PADS

RS 42

- 中级摩擦系数
- 中等初始咬合
- 良好的低温摩擦



应用范围

是一款典型的拉力赛用刹车片，在小型方程式赛和房车赛中也很受欢迎。

产品介绍

RS 42是一种含有钢和芳纶纤维的低金属树脂复合摩擦材料。其特性使这种材料适用于小型方程式赛车。

PAGID RS

ALLROUND
RACING BRAKE PADS

RS 44

+ 中级摩擦系数
+ 中等初始咬合
+ 出色的调制性

摩擦水平

咬合

抗热衰减性能

刹车盘寿命

刹车片寿命

调制

摩擦系数VS温度RS 44



应用范围

优质后轮刹车片常用在前置发动机的汽车中。很受欢迎的俱乐部赛车制动产品。

产品介绍

RS 44 一直用于方程式车和较轻的乘用车。它是一种含有钢和芳纶纤维的低金属树脂复合磨擦材料。从低温到高温摩擦水平都很平稳的特性使其能够适合多种应用。

PAGID RSC

RACING BRAKE PADS FOR CERAMIC COMPOSITE DISCS

专门针对陶瓷盘应用的性能和配方材料

渐进的线性刹停

良好的调制和可控性

宽泛的工作温度范围

低热导率

优异的释放特性

可提供的RSC产品系列

RSC 1	RSC 2	RSC 3

是理想的赛道日和俱乐部活动摩擦材料，在高性能赛车有广泛的应用。

在我们的产品详细清单中可找到可用规格，从第85页起标注。 PAGID Racing RSC 系列根据最新的碳陶瓷刹车盘的技术要求研发，并达到或超过汽车行业目前所要求生态标准。

摩擦系数VS温度RSC



PAGID RSC

RACING BRAKE PADS FOR CERAMIC COMPOSITE DISCS

RSC 1

- 中级摩擦系数
- 全面优质性能特点
- 保护刹车盘

摩擦水平

咬合

抗热衰减性能

刹车盘寿命

刹车片寿命

调制



应用范围

适合比赛和赛道日所有已知的陶瓷刹车盘

产品介绍

RSC 1是一种低金属含有钢和芳纶纤维的树脂复合摩擦材料。这种摩擦材料具有良好的综合性能，适配所有类型的碳陶盘。

PAGID RSC

RACING BRAKE PADS FOR CERAMIC COMPOSITE DISCS

RSC 2

- 中高级摩擦系数
- 优良的抗热衰减性能
- 耐用型刹车片



应用范围

碳陶瓷刹车盘专用的比赛用刹车片，特别适合摩擦面纤维含量高的刹车盘，常用于冲刺和耐力比赛。

产品介绍

RSC 2是一种低金属含有钢和芳纶纤维的树脂复合摩擦材料。这种摩擦材料是专门为上述应用而研发的。

PAGID RSC

RACING BRAKE PADS FOR CERAMIC COMPOSITE DISCS

RSC 3

- 高摩擦系数
- 优良的抗热衰减性能
- 耐用型刹车片



应用范围

碳陶瓷刹车盘专用的比赛刹车片，特别适合摩擦面纤维含量低的刹车盘，常用于冲刺和耐力比赛。

产品介绍

RSC 3是一种低金属含有钢和芳纶纤维的树脂复合摩擦材料。这种摩擦材料是专门为上述应用而研发的。

PAGID RSH

RACING BRAKE PADS FOR HISTORIC CARS

良好的调制和可控性

渐进的线性刹停

保护刹车盘

宽泛的工作温度范围

优异的释放特性

低热导率

可提供的RSH产品组合

RSH 3	RSH 29E	RSH 42

在我们的产品详细清单中可找到可用规格，从第85页起标注。

PAGID Racing RSH系列产品根据老爷车比赛最新要求研发，达到或超过汽车行业当前所要求的环保标准。从上世界50年代后期至90年代，可用的产品型号逐步拓展。

摩擦系数VS温度RSH



PAGID RSH

RACING BRAKE PADS FOR HISTORIC CARS

RSH3

- 高摩擦系数
- 低热导率
- 耐热衰减温度高达800℃
- 任何温度下的恒定脚刹



应用范围

可用于拉力赛，GT和房车赛的赛道驾驶及俱乐部比赛。

产品介绍

该RSH 3是通过优化老爷车冲刺比赛而开发的有机化合物配方。 由于主要特点的完美结合，我们可以提供广泛的应用范围。 它拥有高初始咬合和出色的调制和释放特性

PAGID RSH

RACING BRAKE PADS FOR HISTORIC CARS

RSH29E

- 中高级摩擦系数
- 良好的热稳定性
- 低踏板力
- 渐进式刹停及良好调制性
- 长寿命刹车片和刹车盘



应用范围

典型的应用是GT赛和房车耐力赛。 由于它的摩擦特性，因此可以在冲刺赛中使用。

产品介绍

该RSH 29E在老爷车耐力赛中作用突出。 它以较长使用寿命的刹车片和刹车盘，以及在赛事中刹车省力容易控制而征服大家。 更大的优点是在较宽的温度范围内保持恒定摩擦等级。

RSH42

- 中低摩擦系数
- 良好的低温摩擦
- 即时低温反应
- 极简磨合过程



应用范围

在小型方程式赛车中，是一款十分受欢迎的拉力赛刹车片。

产品介绍

RSH 42的特性使这种材料适用于小型方程式赛车。此外， 还可以用于后轴， 与前轴的RSH 29E组合使用。

磨合

我们的赛车刹车片也提供“做好比赛准备”的已磨合产品， 请咨询当地经销商来进行刹车片的预订磨合。



良好的制动保障胜利

优化制动性能的开始-使用经专业磨合的制动盘和制动片：

赛车的准备和调整是取得比赛成功的基本要求。 制动组件的磨合需要良好的专注度，丰富的经验和大量的测试时间。 但时间是至关重要的，你可以把节省的时间用于其他事项

不正确的磨合会降低制动系统操控性及刹车片和刹车盘的寿命。 最佳的制动性能，只能通过正确磨合制动部来实现。

为了节约时间和成本，我们为您提供经过预先磨合刹车片，如需选配，只需与刹车盘匹配即可。

在实验室内通过计算机控制系统 ，我们可以用正确的感官输入实现准确磨合你的制动部件，使磨合不受外界因素干扰，如交通，雨水或缺乏训练的车手。

磨合处理的4个阶段

1 第一个阶段是制动片校准。在恒定压力和最适宜的温度条件下与刹车盘实现极佳接触，通过强行的制动来准确设定刹车部件。

2 第二阶段为升温。 通过温度的持续上升，可以避免刹车片断裂。在固定的温度下间歇进行制动。

3 第三个是高温阶段。刹车片的调节是焦点， 通过高温使摩擦材料气化， 初始热衰减将被最小化。该过程在非常高的温度下运行， 并且整个刹车片的重量损失 十分明显

4 最后一个阶段是“清洁”。刹车片和刹车盘都会通过明确的步骤进行清洗从而使残留的污垢脱离刹车部件。

mazda
SLIPSTREAM
PERFORMANCE
01

63

PAGID RBD

RACING BRAKE DISCS

- 最低重量
- 优化磨损特性
- 抗裂性能
- 冷却性能
- 理想的安装基准面
- 以适合凹槽数量为目的

优化的匹配必将产生协同效应

最大化的使刹车片和刹车盘高效匹配—是我们PAGID Racing制动盘的研发标准，这也是我们研发产品特性依据。

在长时间的开发过程中严格的质量把关使得赛车制动盘具备高性能，优化了重量，冷却性能和抗裂性。与刹车片一起，我们的产品打造了一个高效的“刹车组合”。

模块化设计允许在大多数情况下使用轻型版本（用于冲刺比赛或拉力赛），或使用具有相同安装中心盘的耐力版本用于特定车辆中。

设计特点

- 摩擦盘和安装中心盘的浮动连接有效避免了剧烈氧化所带来的安装中心盘磨损，因此可多次重复使用。
- 通过刹车盘到连接凸缘处适当尺寸的开口， 气流进入外侧摩擦面得以实现。
- 专门设计的通风口，优化刹车盘与冷却气流的热交换率。
- 刹车盘摩擦面（凹槽花纹）与PAGID Racing刹车片结合使用可以获得最佳的系统性能和磨损特性。

PAGID Racing
赛用刹车盘由3
个完美匹配的部
件组成。

刹车盘



安装中心盘



连接装置



PAGID RBD

可供选择的单独部件：按车型查询

Vehicle Manufacturer	Vehicle Type	Race Application	Axle	Side	Outside Diameter	Thick-ness	Part Number Brake Disc	Part Number Mounting Bell	Part Number Bobbin Set
Alfa Romeo	Giulietta TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301
				Right	378	34	ED378340201		
Alfa Romeo	Giulietta TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301
				Right	378	34	ED378340801		
Audi	RS3 LMS TT Cup	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301
				Right	378	34	ED378340201		
Audi	RS3 LMS TT Cup	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301
				Right	378	34	ED378340801		
Lada	Vesta TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301
				Right	378	34	ED378340201		
Lada	Vesta TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301
				Right	378	34	ED378340801		
Opel	Astra TCR	Sprint	Front	Left	378	34	ED378340101	EB378120201	SA100120301
				Right	378	34	ED378340201		
Opel	Astra TCR	Endurance	Front	Left	378	34	ED378340701	EB378120201	SA100120301
				Right	378	34	ED378340801		
Porsche	997 GT3 Cup	Sprint	Front	Left	380	32	ED380320101	EB380100101	SA100100201
				Right	380	32	ED380320201		
Porsche	997 GT3 Cup	Endurance	Front	Left	380	32	ED380321101	EB380100101	SA100100201
				Right	380	32	ED380321201		
Porsche	991 Cup 991 GT America	Sprint	Front	Left	380	32	ED380320901	EB380100501	SA100100201
				Right	380	32	ED380321001		
			Rear	Left	380	30	ED380300301	EB380120101	SA100120301
				Right	380	30	ED380300401		
Porsche	991 Cup 991 GT America	Endurance	Front	Left	380	32	ED380321301	EB380100501	SA100100201
				Right	380	32	ED380321401		
			Rear	Left	380	30	ED380300301	EB380120101	SA100120301
				Right	380	30	ED380300401		
Porsche	981 Cayman GT4 Clubsport	Endurance	Front	Left	380	32	ED380321301	EB380100701	SA100100201
				Right	380	32	ED380321401		
			Rear	Left	380	30	ED380300301	EB380120201	SA100120301
				Right	380	30	ED380300401		
Renault	Mégane TCR	Sprint	Front	Left	378	34	ED378340101		SA100120301
				Right	378	34	ED378340201		
Renault	Mégane TCR	Endurance	Front	Left	378	34	ED378340701		SA100120301
				Right	378	34	ED378340801		
Seat	Cupra TCR	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301
				Right	378	34	ED378340201		
Seat	Cupra TCR	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301
				Right	378	34	ED378340801		
Volkswagen	Golf TCR	Sprint	Front	Left	378	34	ED378340101	EB378120101	SA100120301
				Right	378	34	ED378340201		
Volkswagen	Golf TCR	Endurance	Front	Left	378	34	ED378340701	EB378120101	SA100120301
				Right	378	34	ED378340801		

Other applications on request

ROWE
GRAN TURISMO
GRAN TURISMO
THE REAL DRIVING SIMULATOR
BILSTEIN
AMG
BLACK FALCON
MICHELIN

PAGID RBD

可用组装摩擦盘/全部组件：
摩擦盘，安装中心盘，连接装置



A: Thickness **B:** Inside Diameter **C:** Hat Interface PCD **D:** Max. Pad Depth **E:** Vent Opening

Outside Diameter	Thickness	Inside Diameter	Hat Interface PCD	Mounting Side	According Bobbin Set	Max. Pad Depth	Vent Opening	Weight Kg.	Part Number Brake Disc
378	34	268	12 x 247,65	Left	SA100120301	54	19	7,44	ED378340101
				Right					ED378340201
378	34	268	12 x 247,65	Left	SA100120301	54	17	8,15	ED378340701
				Right					ED378340801
380	30	280	12 x 260,00	Left	SA100120301	50	17	6,25	ED380300301
				Right					ED380300401
380	32	250	10 x 228,60	Left	SA100100201	65	15	9,38	ED380321101
				Right					ED380321201
380	32	250	10 x 228,60	Left	SA100100201	65	17	8,63	ED380320101
				Right					ED380320201
380	32	268	10 x 246,60	Left	SA100100201	56	15	8,35	ED380321301
				Right					ED380321401
380	32	268	10 x 246,60	Left	SA100100201	56	17	7,68	ED380320901
				Right					ED380321001

Other applications on request

可用单独组件：
安装中心盘



A: Disc Interface PCD **B:** Stud Bolt Circle **C:** Center Hole Diameter **D:** Offset **E:** Face Thickness

Vehicle Manufacturer	Vehicle Type	Axle	Disc Interface PCD	Stud Bolt Circle	Center Hole Diameter	Offset	Face Thickness	Part Number Mounting Bell
Audi	RS3 LMS	Front	12 x 247,65	5 x 112	65	8,1	6	EB378120101
		Rear						
Audi	TT Cup	Front	12 x 247,65	5 x 112	65	8,1	6	EB378120101
		Rear						
Opel	Astra TCR	Front	12 x 247,65	5 x 115	71	10,9	8	EB378120201
		Rear						
Porsche	997 GT3 Cup	Front	10 x 228,6	5 x 130	103	28	6,5	EB380100101
		Rear						
Porsche	991 Cup	Front	10 x 246,6	5 x 130	93	30	6,5	EB380100501
		Rear	12 x 256	5 x 130	93	30	6,5	EB380120101
Porsche	991 GT America	Front	10 x 246,6	5 x 130	93	30	6,5	EB380100501
		Rear	12 x 256	5 x 130	93	30	6,5	EB380120101
Porsche	981 Cayman GT4 Clubsport	Front	12 x 246,6	5 x 130	93	30	6	EB380100701
		Rear	12 x 256	5 x 130	93	29,8	6	EB380120201
Seat	Cupra TCR	Front	12 x 247,65	5 x 112	65	8,1	6	EB378120101
		Rear						
Volkswagen	Golf TCR	Front	12 x 247,65	5 x 112	65	8,1	6	EB378120101
		Rear						

Other applications on request

可用于个性化的安装部件：
连接装置



Quantity	A	B	C	D	Brake Disc Flange Thickness	Part Number Bobbin Set
10	11	6.4	9.45	6.55	6.25	SA100100201
12	11	6.4	9.45	6.55	6.25	SA100120301

PAGID RBF

RACING BRAKE FLUID

- 得到众多汽车认可
- 低吸湿性
- 极度高温干沸点
- 热稳定性
- 优异的黏性
- 完全适用于 ABS

优化的匹配必将产生协同效应

研发制动液最大挑战之一是尽可能达到较高沸点。 PAGID Racing制动液已专门为赛车应用所研发，使得制动系统可持续保持在较高温度下工作。

干沸点为330° C（626° F），极高可确保蒸汽锁的最大安全性。

PAGID Racing制动液还在极端温度下保持极佳的粘度，润滑性和压缩性能，保持制动系统的可靠性和性能。

使用

- 按照车辆制造商的建议添加制动液时，
- 保持制动液的清洁和干燥
- 仅在原容器内储存制动液
- 负责处理用过的制动液

注意 ！
为了获得最佳效果，在每次比赛之前用全新的PAGID Racing 制动液，
尤其是在制动器过热和/或条件潮湿的情况下。

PAGID RBF
RACING BRAKE FLUID

干/湿沸点
干沸点: **626 °F / 330 °C**
湿沸点: **392 °F / 200 °C**

目录	参数
Size	0,5L / 16.9 fl. oz.
ERBP Dry [°C] / [°F]	330 / 626
ERBP Wet [°C] / [°F]	200 / 392
Viscosity at -40 °C [cSt]	2200
Viscosity at -100 °C [cSt]	2.31
pH	6.90
Fluidity [°C]	-50
Compatibility [°C]	-40 to +60
Colour	Straw yellow
Water content [%]	< 0.20
Density at 20 °C [g/ml]	1.080
Vapour density	N.E.
Vapour pressure at 20 °C [mBar] °C [mBar]	< 2

ASTON MARTIN RACING
TAG HEUER
TOTAL
sky
sky
HACKETT
HACKETT

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
AC			
Cobra 7.0	64 - 66	8042	8041
Cobra 428 7.0	67 - 74	8042	8041
Greyhound	64 - 68	1195	4508
Alfa Romeo			
156 2.0 16V	95 - 98	1295	
4C	13 -	8023	
Berlina 1.75 2.0	68 - 77	4501	4304
Giulia 1.3/1.6	64 - 66	8056	
Giulia 1.3/1.6	66 - 76	4304	4122
Giulia 2.9 [952] Quadrifoglio	15 -	8005	
Giulia 2.9 [952] Quadrifoglio [ceramic brakes]	15 -	8091	
Giulietta TCR	15 - 17	1904	1363
Giulietta TCR	18 -	1904	1363
GTA 1600	65 - 75	8056	
Sprint GT 1600	63 - 66	4501	4122
Alpina			
B3 [E90 / E92]	07 - 10	4931	4933
B5 F1 X	15 -	8200	4932
B6 Biturbo [F12 / F13]	12 -	4930	4932
B6 GT3 [race car]	13 -	8092	8093
Aston Martin			
DB4	59 - 65	8070	8070
DB4 GT	60 - 63	8071	
DB5 / DB6 / DBS	63 - 70	8042	8041
DB9	04 - 16	2487	1408
DB9 [ceramic brakes]	04 - 16	4941	4943
DB11 [cast iron brakes]	16 -	8081	2487
DBS V8	69 - 74	1191	8041
Vanquish	03 - 08	1287	1408
Vanquish [ceramic brakes]	12 - 18	4941	4943
Vantage [cast iron brakes] street car	18 -	8081	2487
Vantage V8 GT4 ProDrive [race car] stock OE caliper	12 -	2487	1408

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Aston Martin			
Vantage V8 GT4 ProDrive [race car] 6 piston front	11 - 17	8087	1674
Vantage V8 GT4 ProDrive [race car] 6 piston front, larger rear caliper	11 - 17	8087	1619
Vantage V8 GT4 ProDrive [race car] Alcon caliper	18 -	1539	1607
Vantage V8 GTE [race car]	12 - 17	8100	2704
Vantage V8 GTE [race car]	18 -	1539	1607
Vantage V12 GT3 [race car]	13 - 14	8087	1674
Vantage V12 GT3 [race car] sprint	15 - 17	8087 / 2488	1674 / 2704
Vantage V12 GT3 [race car] endurance	15 - 17	8100	2704
Vantage V12 GT3 [race car] Alcon caliper	18 -	8100	2704
Vantage V12S [ceramic brake]	13 -	4941	4943
Audi			
50	74 - 79	4304	
60 / 75	66 - 72	4304	
80 2.2 Quattro S2	90 - 96	1276	
100	68 - 74	4304	4304
A1 2.0 TFSI Quattro	12 -	8001	4936
A3 1.8 20V	96 - 03		1158
A3 1.8 20V Turbo	96 - 99	1678	1158
A3 2.0 Quattro [8PA]	04 - 13	2130	8046
A3 3.2 Quattro	06 - 13	8001	8046
A4 & A5 & A6 & A7 [several]	08 -	8096	8039
A4 & A6 [several]		8064	1158
A4 1.8 20V	95 - 00	1678	1158
A8 D3 [ceramic brakes]	02 - 09	4907	8039
Q5 [8R]	08 - 16	8096	8039
R8 4.2 and 5.2 FSI quattro	07 - 15	2931	1287
R8 4.2 and 5.2 FSI quattro [ceramic brakes]	09 - 15	4907	1287
R8 5.2 FSI quattro (2nd generation)	15 -	4907	1287
R8 5.2 FSI quattro (2nd generation) [ceramic brakes]	15 -	4907	1287
R8 5.2 RWS (2nd generation)	18 -	2931	1287
R8 LMS Ultra GT3 [race car]	12 - 15	8087	1674
R8 LMS GT3 [race car]	16 -	8100	2704

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Audi			
R8 GT4 + GT4 Cup [race car]	17 -	8101	1674
RS3 LMS TCR [race car]	16 -	1539	1363
RS3 Sportback [8PA]	11 - 12	2487	8046
RS3 Sportback [8VA]	15 -	2931	
RS4 quattro Avant [B5]	00 - 02	2830	1158
RS4 quattro [B7]	05 - 08	2931	8039
RS5 (8TR)	10 - 15	2931	8039
RS6 (C5)	02 - 04	2931	8039
RS6 (C6)	08 - 10	8081	8039
RS6 (C7)	13 - 18	8238	8039
RS6 (C7) [ceramic brakes]	13 - 18	8088	4938
S1 Sport Quattro Rally Car	84 - 85	1270	1361
S3	99 - 01	1678	1158
S3 Quattro (disc Ø 340 mm) performance brake	14 -	8201	
S3 Quattro (disc Ø 345 mm)	06 - 12	8064	8046
S4 [B6 + B7]	04 - 08	8064	8039
S4 [B8] (disc Ø 345 mm)	08 - 15	8096	8039
S5 (disc Ø 345 mm)	07 - 17	8096	8039
S6 [ceramic brakes]	12 -	4937	4938
S7 [ceramic brakes]	12 -	4937	4938
S8	99 - 02	1842	1158
S8 [ceramic brakes]	02 - 10	4907	
S8 [ceramic brakes]	12 -	4937	4938
TT	98 - 06	1678	1158
TT 3.2 V6 Quattro (disc Ø 288 mm)	06 - 10	8001	8046
TT 3.2 V6 Quattro (disc Ø 345 mm)	06 - 10	8064	8046
TT Cup [race car]	15 -	1539	1363
TT R32	04 - 06	2830	1158
TT RS 2.5 Quattro	09 - 14	2487	8046
TT RS 2.5 Quattro [FV3]	16 -	2931	
TTS 2.0 Quattro	09 - 14	8064	8046
Ave-Riley			
AR2 LMP3 [race car]	17 -	2488	2488

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Bentley			
Continental GT [ceramic brakes]	03 - 11	4910	8039
Continental GT [ceramic brakes]	11 -	4937	4938
Continental GT3 [race car]	14 - 17	2017	1674
Continental GT3 [race car]	18 -	8100	2704
Mulsanne [ceramic brakes]	10 -	4937	4938
Bizzarini			
5300 GT	66 - 68	1191	1192
BMW			
1 Series M Coupe [E82]	11 - 13	8053	8021
120d & 130i [E81 & E87]	03 - 12	1295	8035
135i [E82 & E88]	07 - 13	8084	8085
1600 Ti / 1800 Ti / TiSA	63 - 71	4304	
2002 Ti / Tii	69 - 75	4702	
3 Series M-Technic / Brembo	09 -	8084	8085
3.0 CSL [E9]	71 - 75	4703	4122
318is - 325i [E30]	82 - 93	1544	1141
318is - 325i [E36]	90 - 98	2180	1285
320i - 325i [E46]	98 - 05	2180	1285
320i - 330i [E90]	05 - 11	8053	8035
330i [E46]	00 - 05	1295	2685
335i, 335d [E90 / E91 / E92]	06 - 11	8053	8051
507 / 700	56 - 65	8070	
850 [E31]	90 - 99	1427	2685
M1 [non Procar]	78 - 82	4703	4304
M135i [F20 & F21]	11 - 16	4931	4933
M140i [F20]	15 -	4931	4933
M2 [F87]	15 -	4931	4933
M2 [F87] Competition	18 -	4934	1287
M235i [F22]	13 -	4931	4933
M235i Racing [PFC front caliper]	14 - 15	8197	4933
M235i Racing [AP front caliper]	16 -	2688	4933
M240i [F22]	15 -	4931	4933

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
BMW			
M3 [E30] EVO I & II	86 - 92	1144	1285
M3 [E36] 3.0 & 3.2	92 - 99	1295	1285
M3 [E46] & M3 CSL	00 - 07	1295	2685
M3 [E90 / E92]	07 - 13	8053	8021
M3 [E92] GT4 race version	09 - 14	1538	1270
M3 [F80]	14 -	4931	4933
M4 [F82]	14 -	4931	4933
M4 [F82] [ceramic brakes]	14 -	4934	1287
M4 [F82] Competition	16 -	4931	4933
M4 GT4 [race car]	17 -	2019	1674
M5 [E34]	88 - 97	1295	1285
M5 [E39]	98 - 03	2683	2685
M5 [E60]	04 - 11	8019	8021
M5 [F10]	11 - 16	4934	4932
M5 [F10] [ceramic brakes]	11 - 16	4935	4932
M6 [E63 / E64]	06 - 12	8019	8021
M6 [F13]	12 -	4934	4932
M6 [F13] [ceramic brakes]	12 -	4935	4932
M6 GT3 [race car]	16 -	2019	1674
M6 GTLM [race car]	16 - 17	2019	1674
M8 GTE [race car]	18 -	8100	2704
Mini Cooper	02 - 06	2959	
Mini John Cooper Works [Brembo brakes] on request	15 -		
Z1	88 - 91	1544	1285
Z3 M Coupe [E36]	98 - 03	1295	1285
Z3 M Roadster 3.2i	97 - 03	1295	1285
Z4	05 - 09	2180	1285
Z4 GT3 [race car]	13 - 15	2558	1270
Z4 M Coupe	06 - 09	1295	2685
Z8 4.9	00 - 03	2683	2685
Cadillac			
CTS-V (4 piston front caliper)	03 - 09	2487	1408
CTS-V (6 piston front caliper)	10 - 14	8081	1408

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Caterham			
Seven Range	97 -	3102	1163
SP / 300.R	12 -	4349	4349
Stock AP up-grade	97 -	1265	1363
Chevrolet			
Callaway Z06.R GT3 [race car]	13 - 16	8087	1270
Callaway Z06.R GT3 [race car]	16 -	2017	2704
Camaro SS [Gen 5]	09 - 15	2487	1408
Camaro SS [Gen 6] 4 Piston Brembo caliper	16 -	2487	8208
Camaro SS [Gen 6] 6 Piston Brembo caliper - upgrade kit	16 -	8081	8208
Camaro Z / 28w / 4 wheel disc	67 - 68	8057	8057
Camaro Z28 [Gen 5] [ceramic brakes]	15 - 17	8091	4906
Camaro ZL1 [Gen 5]	12 - 15	8081	1408
Camaro GT4 R [race car]	17 -	8100	8208
Cobalt SS Turbocharged	08 - 10	8023	
Corvette C6 Brembo [ceramic brakes]	09 - 13	8091	4906
Corvette C6 Brembo 6 piston non ceramic	09 - 13	8091	2487
Corvette C32 Stingray	63 - 82	8057	8057
Corvette C5 & C6 base	05 - 13	2213	
Corvette C5 base, Z06	97 - 04	2213	
Corvette C6 Grand Sport [multi pad system]	10 - 13	8240 front	8240 rear
Corvette C6 Z06 [multi pad system]	06 - 13	8240 front	8240 rear
Corvette C7 base	14 -	2487	8208
Corvette C7 GT3 [Callaway Race Car]	15 -	2017	1674
Corvette C7.R GTE [Race Car]	14 -	2558	1813
Corvette C7 Z06 [iron brakes]	15 -	8081	8208
Corvette C7 Z06 [ceramic brakes]	15 -	8091	4906
Corvette C7 Z51	14 -	2487	8208
GM Intermediate D52, several models		1594USA	
GM Metric D154, several models		1595USA	

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Citroën			
ZX 2.0 16V	96 - 97	1544	1610
DS3 N5 spec. 2016	16 -	1361	1361
DS3 N5 spec. 2017	17 -	1616	1616
DS 3 R1	15 -	8212	
DS 3 R3 Tarmac Rally	15 -	1595	3102
DS 3 R5 Tarmac Rally	15 -	1595	1595
Saxo 1.6 VTS (Cup)	96 - 04	2388	1610
Dallara			
F308 (Formula F3) Brembo Caliper	08 - 11	8049	8049
F308 (Formula F3) AP Caliper	08 - 11	8060	8060
F312 (Formula F3) Brembo Caliper	12 - 16	8049	8049
F312 (Formula F3) AP Caliper	12 - 16	8060	8060
F317 (Formula F3) Brembo Caliper	17 -	8049	8049
F317 (Formula F3) AP Caliper	17 -	8060	8060
De Tomaso			
Pantera	73 - 90	1191	8041
DKW			
F12	63 - 65	4122	
Dodge			
Dart	65 - 72	8086	
Viper	92 - 00	1408	1682
Viper	01 - 02	1408	
Viper ACR [ceramic brakes]	14 - 17	8253	4906
Viper Competition Coupe	03 -	1287	1287
Viper SRT TA (time attack)	14 - 17	2487	2487
Viper SRT-10	04 - 08	1287	1287
Viper SRT GT3-R	13 -17	8100	2704

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Ferrari			
206	67 - 68	8042	8041
212E Montagna	68 -	8071	8070
250 GT Berlinetta SWB	59 - 62	8071	8070
250 GT / 275 GT	60 - 66	8071	8070
308 GT4 / GTB / GTS 2 valve	73 - 85	4501	4304
330 GTC / GTS	66 - 68	1191	8041
348 GTB, GTS, Spider	89 - 94	1203	1203
355 Berlinetta, GTS	94 - 99	1203	1203
355 Challenge	95 - 00	1674	1674
360 all models	99 - 05	1408	1408
360 Challenge	99 - 05	1896	1595
360 Challenge Stradale [ceramic brakes]	03 - 05	8083	4906
365 GTB / GTC	67 - 76	1191	8041
365 GTB4 / Daytona	67 - 76	4703	4634
430 Challenge [ceramic brakes]		8091	4906
430 Scuderia [ceramic brakes]	07 - 10	8091	4906
456 GT	94 - 96	1427	1203
458 Italia [ceramic brakes]	10 - 15	8091	4906
458 Italia GT3 [race car]	13 - 16	8100	1674
458 GTE [race car]	14 - 16	8100	2704
488 GTE [race car]	17 -	8100	2704
458 Speciale [ceramic brakes]	13 -	4580	4581
488 [ceramic brakes]	15 -	4580	4581
488 GT3 [race car]	16 -	8101	1674
500 Super	64 - 66	8071	8070
512 BB	76 - 85	4703	4634
512 Testarossa	92 - 96	1287	1203
575M Maranello	02 - 06	1427	1203
599 GTB Fiorano	06 - 12	8091	4906
Dino 206 SP	65 -	8071	8070
Dino 246 GTB / GTS	68 - 75	4501	4304
Enzo [ceramic brakes]	02 - 04	8083	4906
F40 Street and race	87 - 92	1287	1287
F430 [cast iron brakes]	05 - 10	1408	1408

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Ferrari			
F430 [ceramic brakes]	05 - 10	8083	4906
F50	95 - 97	1287	1287
F512 M & 550		1427	1203
Several ceramic brakes CCM		8091	4906
Fiat			
Punto Abarth 1.4	07 - 12	8023	4940
500 1.4 Abarth [Brembo brakes]	09 -	8023	
Abarth 124 Spider	16 -	3830	8077
Abarth 124 Spider [Brembo brakes]	16 -	8023	8077
Abarth 124 Spider [rally car]	17 -	1616	1616
Ford			
Capri Mk1 / Mk2 / Mk3	72 - 87	4905	
Cortina Mk1	64 - 66	3102	
Cortina Mk2 1.6 GT / Lotus	66 - 70	8041	
Cortina Mk3 / Mk4 / Mk5	70 - 82	4905	
Escort Mk1 1.3	69 - 74	3102	
Escort Mk1 / Mk2 2.0 RS	73 - 80	4905	
Fiesta & Puma 16V	96 - 02	4823	
Fiesta R2 Tarmac Rally Spec 2015	15 -	2555	
Fiesta VII ST	17 -	8262	8264
Fiesta R2 Tarmac Rally Spec 2016	15 -	1595	3102
Fiesta R5 Gravel Rally	15 -	1617	1617
Fiesta R5 Tarmac Rally	15 -	1616	1616
Focus II 2.5 RS	09 - 11	8096	
GT	04 - 06	2487	2487
GT 40	64 - 68	1195	4508
Mustang	68 - 73	8086	
Mustang (Saleen S281 Extreme)	07 - 07	1903	8113
Mustang Boss 302	12 - 13	2487	8113
Mustang Boss 302S	13 -	1674	8113
Mustang GT [4 piston Brembo]	11 - 14	2487	8113
Mustang GT [performance package - 6 piston Brembo / 15” discs]	15 -	8203	8204

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Ford			
Mustang Mk1 / T5 / 289 GT	65 - 67	8086	
Mustang Shelby GT350 [6 piston Brembo caliper / 15.5" disc]	15 -	8239	8208
Mustang Shelby GT500 [4 piston Brembo caliper / 15" disc]	07 - 14	2487	8113
Mustang FP350S (race car by FORD Performance) AP brakes	18 -	1904	
Ginetta			
G4	61 - 69	3102	
G15	67 - 73	1151	
G55 GT3 [race car] with PFC brakes		4923	8093
G55 GT4 [race car]		1539	1595
LMP3 [race car]	15 -	2488	2488
Glas			
G / 04 Type	63 - 69	4122	4122
2600 GT / 3000 GT	65 - 69	4501	4122
Honda (Acura)			
Accord Type R	97 - 03	2623	1158
Civic Type R [Brembo brakes] IX and X generation	15 -	2487	
Civic TCR [race car]	15 - 17	1904	1363
Civic TCR [race car]	18 -	1539	1363
Civic Type R / S2000 / RSX	99 - 05	8010	
Integra Type R DC2	96 - 01	2623	
NSX	90 - 05	2623	
NSX GT3 [race car]	17 -	2017 / 2019	2704
Huffaker			
Genie MK VIII	63	1192	1192
Hyundai			
i20 N5 Spec. 2017	17 -	1616	1616
i20 R5 Tarmac Rally	16 -	1616	1616
i30 TCR race car [Brembo caliper]	17 -	8087	4304
Genesis Coupe 3.8 track	10 - 16	2487	1587
Veloster N	18 -	7034	7035
i30 N	18 -	7034	7035

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Iso			
Grifo / Fidia / Rivolta	63 - 68	8071	8070
Grifo / Fidia / Rivolta	68 - 74	1191	8041
Jaguar			
Daimler XK 150	58 - 61	8070	8070
E-Type 3.8 / 4.2	62 - 68	8070	8070
E-Type 4.2 / 5.3	69 - 75	8042	8041
F Type	14 -	8019	
Mk1 / Mk2	55 - 67	8070	8070
Mk9 / Mk10 3.8 / 4.2	58 - 66	8071	8070
Jensen			
CV8 / 541R / 541S / Interceptor	59 - 66	8070	8070
FF / Interceptor / SP V8	66 - 76	8042	8041
Healey / Healey GT	72 - 76	3190	
KIA			
Stinger 3.3 T-GDI V6 [4 piston Brembo]	18 -	2487	
KTM			
X-Bow	08 -	1408	1587
X-Bow GT4	15 -	8222	1674
Lamborghini			
350 GT / 400 GT / Miura	64 - 71	1191	8041
Aventador LP700-4 [ceramic brakes]	11 -	4937	4906
Countach	74 - 91	4703	4304
Diablo [Brembo brakes]	92 - 99	1287	1287
Gallardo	04 - 13	2931	1287
Gallardo [ceramic brakes]	04 - 13	4907	1287
Gallardo GT3 [race car]	14 - 15	2488	1674
Gallardo LP 600 GT3 [race car]	13 - 15	8087	1674
Huracán [iron brakes]	14 -	2931	1287
Huracán and Performance [ceramic brakes]	14 -	4907	1287
Huracán GT3 [race car]	15 -	8101	1674

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Lamborghini			
Huracán Trofeo [race car]	15 -	8101	1674
Murciélago [non ceramic]	01 - 10	1287	1287
Several ceramic brakes		4907	4906
Urraco	74 - 81	4703	3102
Lancia			
Delta 2.0 HF Int.16V Evo	91 - 94	1408	1158
Fulvia	63 - 69	8070	8070
Stratos	74 - 75	4501	4304
Stratos HF Group N4 Rally	74 - 76	1270	1269
Lexus			
IS-F	08 - 11	8005	
RC F GT3	17 -	2560	1674
Ligier			
JS P3 (Onroack) LMP3	17 -	8087	8087
Lotus			
23	62 - 66	8032	8032
Elan	66 - 74	3102	
3-Eleven 430	15 -	4345	4345
Elise and Club Racer	96 -	2593	1682
Esprit	75 - 86	4507	
Esprit Turbo	94 - 96	1408	1408
Evora 3.5 and 3.5S	09 - 16	4345	8214
Evora 3.5 400	15 -	4345	4345
Exige	03 -	2593	1682
Exige V6 Sport 350	16 -	4345	8214
Exige V6 Sport 360 Cup	15 -	4349	1682
Exige Sport Cup	06 -	4349	1682
Seven / Super 7	68 - 74	3102	

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Maserati			
3500 GT	61 - 64	1191	8041
BiTurbo 2.5 & 2.8	94 - 99	2683	2685
Ghibli / Indy	68 - 75	1191	8041
Ghibli (M157) [4 piston Brembo caliper / disc ø 345mm]	13 -	2487	
Ghibli (M157) [6 piston Brembo caliper / disc ø 360mm]	13 -	8005	1408
Grand Turismo	07 -	8005	1408
Mistral	64 - 69	1191	8041
Sebring	63 - 69	1191	8041
Spyder 4.2 & Coupe 3.2	02 - 07	1427	1203
Trofeo MC	13 -	8087	1283
Trofeo GT4	16 -	8087	1283
Mazda			
Miata 1.8 NB (spec Miata)	94 - 00	8127	8129
MX-5 Miata NC	06 - 15	8082	8077
MX-5 Miata ND	16 -	3830	8077
MX-5 Miata ND [Brembo brakes]	16 -	8023	8077
MX-5 Miata Global Cup Car	16 -	8023	8077
Mazdaspeed3	07 - 13	8064	
McLaren			
570S, 540C, 570GT	15 -	4346	4345
570S GT4 race car	16 - 17	4346	4345
570S GT4 [race car] (wider front caliper)	18 -	8261	4345
570S [ceramic brakes]	15 -	8091	8187
650S / Spyder	14 -	4346	4345
650S / Spyder [ceramic brakes]	14 -	8091	8187
650S GT3 [race car] AP caliper	15 - 16	2557	1674
650S GT3 [race car] AP caliper	17 -	2560	1674
675LT	15 -	4346	4345
675LT [ceramic brakes]	15 -	8091	8187
F1 / shape rear on inquiry	92 - 98	1287	
MP4-12C	11 - 14	4346	4345
MP4-12C [ceramic brakes]	11 - 14	8091	8187
MP4-12C GT3 [race car] Akebono caliper	13 - 15	2557	1674

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Mercedes			
190 2.3 / 2.5 16V (W201)	82 - 93	1190	1151
190 - 300 (W108 - W115)	59 - 71	4501	4304
200 - 300 (W123)	76 - 85	1291	4304
250 - 280 (W114)	71 - 76	1291	4304
280 - 450 (W116)	72 - 80	1291	4304
A 45 AMG (W176)	13 -	8188	8189
AMG GT GT3 [race car]	16 -	2564	1674
AMG GT4 [race car]	17 -	2564	1674
AMG GTR [ceramic]	17 -	8088	8246
AMG GTR [cast iron brakes]	17 -	8238	8246
AMG GTS (disc Ø 360 mm) Akebono caliper	15 -	8257	8246
AMG GTS (disc Ø 390 mm) Brembo caliper	15 -	8238	8246
C 63 AMG [W204]	08 - 14	8081	8031
C 63 AMG [W205] (disc Ø 360 mm) Akebono caliper	15 -	8257	8246
C 63 AMG [W205] (disc Ø 390 mm) Brembo caliper	15 -	8238	8246
CLA 45 AMG	13 -	8188	8189
CLA Cup [race car]	12 -	1539	8189
CLK 63 AMG Black Series	06 - 09	8081	8031
CLS 63 AMG [ceramic brakes]	11 -	8088	8089
E55 AMG [W211]	02 - 08	8027	8031
GL 63 AMG 4-matic	11 -	8238	
ML 63 AMG 4-matic	11 -	8238	
SL 65 AMG [R230] black series	08 - 12	8027	8031
SLK 55 AMG [R171]	04 - 11	8005	8031
SLK 55 AMG [R172]	12 -	8188	8189
SLK Roadster 32 AMG [R170]	01 - 04	2830	
SLR	04 - 10	8027	8031
SLS AMG black series [ceramic brakes]	09 - 15	8088	8089
SLS AMG GT3 [race car]	13 - 15	8101	1674
Mercury			
Cougar	67 -	8086	
Mitsubishi			
3000 GT	92 - 96	1591	
3000 GT VR4	92 - 99	1406	

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Mitsubishi			
EVO X R4 / Super Gr. N Tarmac Spec.	15 -	2931	8234
Lancer Evo III	92 - 94	1591	
Lancer Evo IV	95 - 97	1591	2445
Lancer Evo V - Evo IX	98 - 06	2487	1587
Lancer Evo IX Gravel Rally	05 - 07	8030	1283
Lancer Evo X	07 - 16	2487	8069
Lancer Evo X Gravel Rally / FIA Gr. N	07 - 16	8033	1283
Lancer Evo X Gravel Rally [AP Caliper]	07 - 16	1361	1749
Lancer Evo X R4 Tarmac Rally	07 - 16	1904	1903
Lancer Evo X Tarmac Rally [Brembo Caliper]	07 - 16	8030	1283
Morgan			
4 / 4 1.6 / 2.0	66 - 86	3190	
Plus 8 3.5	66 - 73	8041	
Nissan			
240Z	70 - 73	4905	
260Z	74 - 75	4905	
280Z	75 - 78	4905	
300ZX	89 - 97	1406	
350Z Coupe Track	02 - 08	1427	1587
GT-R NISMO GT3 [race car]	15 -	2560	1270
R35 GTR	08 -	8081	1287
R35 GTR [ceramic brakes]	08 -	4945	4946
Skyline GTR	89 - 95	1427	1587
Norma			
M30 LMP3 [race car]	17 -	8233	8233
NSU			
Prinz 1000 TT / TTS	65 - 72	4122	
Opel			
Adam Rallye Cup	12 -	8023	4940
Adam Rallye R2	14 -	2555	4940

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Opel			
Ascona A	70 - 75	4304	
Ascona B	75 - 78	4507	
Astra F 2.0 GSI 16V	91 - 98	1288	1177
Astra G OPC	99 - 03	2275	8185
Astra H OPC	05 - 09		8185
Astra J OPC	09 -		4939
Astra OPC [race car]	15 -	1539	1363
Astra TCR [race car]	16-	1539	1363
Calibra 2.0i 16V	90 - 94	1288	1177
Commodore B	72 - 77	4501	4304
Corsa B 1.6 GSI 16V	93 - 00	1620	
Corsa D 1.6 Turbo	07 - 14		4940
GT	69 - 73	4304	
Kadett B 1.5 / 1.9 / Kadett C	67 - 79	4304	
Kadett C 1.9i / 2.0i Rallye / GTE	73 - 79	4507	
Kadett E 2.0 GSI 16V	88 - 91	1288	1177
Speedster 2.2i 16V	00 - 05	2593	1682
Peerless			
2.0	58 - 60	1192	
Peugeot			
205 1.9 GTI	87 - 98	3276	1610
207 Asphalt Rally	06 - 15	8033	
208 N5 Spec. 2015	17 -	1361	1361
208 N5 Spec. 2017-2018	17 -	1616	1616
208 R2	12 -	1595	3102
208 R5	12 -	1595	1595
306 2.0 S16	93 - 98	2388	1610
308 II 1.6 GTI	13 -	8050	
308 TCR	18 -	1539	1587
309 1.9 GTI 16V	90 - 93	3276	1610
405 2.0 MI 16	92 - 95	2388	1158
406 Coupe Brembo brake	97 - 04	1408	

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Piper			
GTT	68 - 74	3102	3102
Plymouth			
Duster	70 - 72	8086	
Pontiac			
GM Intermediate D52, several models		1594USA	
GM Metric D154, several models		1595USA	
GTO	05 - 06	2213	
Porsche			
356 1.6 C / SC	63 - 66	4304	4122
904 Carrera GTS + 904 / 6	63 - 65	4304	4122
908 / 01	68 - 71	4503	4503
911 2.0 - 2.8 S-Calipers	64 - 73	4501	4304
911 2.0 M-Calipers	65 - 69	4304	4122
911 2.7 / 3.0 / 3.2 Carrera	72 - 89	4501	4304
911 3.3 SC Turbo / Turbo S	77 - 90	1203	1203
911 RSR GTE	17 -	2560 / 2564	1674
911 S	72 - 83	4503	4304
912	65 - 70	4304	4122
914 / 4	70 - 72	4304	4122
914 / 6	70 - 72	4304	4304
918 Spyder	13 - 15	4927	4925
924 2.0	76 - 83	4623	
924 2.0 Turbo / 2.5 S	79 - 88	4702	4623
928 4.5	77 - 79	4702	4623
928 5.4 GTS 32V	91 - 95	1842	1203
928 S & S4 & GT	85 - 95	1204	1203
935 Moby Dick	76 - 81	8059	8059
944 2.5 Turbo	85 - 87	1203	1203
944 2.5 Turbo	87 - 91	1204	1203
944 2.5 / 2.5 S / 2.7	81 - 91	4702	4623
944 2.7 & 3.0 S2	88 - 91	1203	1203
959 2.8	87 - 91	1842	1842
962 / 956	82 - 84	8058	8058

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Porsche

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
964 3.3 Turbo & Turbo S	88 - 91	1204	1203
964 3.3 / 3.6 Turbo & Turbo S	91 - 93	1842	1203
964 3.6 C4	88 - 94	1203	1203
964 3.6 Carrera RS	91 - 93	1204	1203
964 C2 3.6	88 - 91	1203	1580
964 C2 3.6	91 - 94	1203	1203
968 3.0 Coupe	91 - 95	1203	1203
968 3.0 Coupe Sport	91 - 95	1204	1203
968 3.0 Coupe Turbo S	93 - 95	1842	1203
991 3.4 Carrera [ceramic brake caliper with RBD cast iron disk]	11 -	8235	4909
991 3.4 Carrera [ceramic brakes]	11 - 15	4908	4909
991 3.4 Carrera [iron brakes]	11 - 15	8074	4918
991 3.8 Carrera S [ceramic brake caliper with RBD cast iron disk]	11 -	8235	4909
991 3.8 Carrera S [ceramic brakes]	11 - 15	4908	4909
991 3.8 Carrera S / GTS [iron brakes]	11 - 15	4922	4909
991 GT3 [ceramic brakes]	15 - 18	4927	4925
991 GT3 [iron brakes]	15 - 18	4924	4925
991 GT3 Cup [PFC brakes 22 / 20 mm]	13 -	4920	4921
991 GT3 Cup [PFC brakes 28 / 26 mm]	13 -	4928	4929
991 GT3 Cup MR [PFC brakes 22 / 20 mm]	13 -	4920	4921
991 GT3 Cup MR [PFC brakes 28 / 26 mm]	13 -	4928	4929
991 GT3 R [race car]	16 - 18	8241	8242
991 GT3 R [race car]	19 -	2560 / 2564	1674
991 GT3 RS [ceramic brakes]	15 - 18	4927	4925
991 GT3 RS [iron brakes]	15 - 18	4924	4925
991 Turbo [ceramic brakes]	13 -	4927	4925
991 Turbo [iron brakes]	13 -	4924	4925
991 Turbo S [ceramic brakes]	13 -	4927	4925
991 Turbo S [iron brakes]	13 -	4924	4925
991.2 3.0 Carrera [ceramic brakes]	15 -	4908	4909
991.2 3.0 Carrera [iron brakes]	15 -	8074	4918
991.2 3.0 Carrera S [ceramic brakes]	15 -	4908	4909
991.2 3.0 Carrera S [iron brakes]	15 -	4908	4909
991.2 3.0 Carrera GTS [iron brakes]	17 -	4908	4909

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Porsche			
991.2 GT2 RS [ceramic brakes]	18 -	4927	4925
991.2 GT3 [ceramic brakes]	18 -	4927	4925
991.2 GT3 [iron brakes]	18 -	4924	4925
991.2 GT3 RS [ceramic brakes]	18 -	4927	4925
991.2 GT3 RS [iron brakes]	18 -	4924	4925
991 R [ceramic brakes]	16 -	4927	4925
991 911 Speedster [iron brakes]	19 -	4924	4925
993 3.6 Carrera & C4	93 - 97	1204	1203
993 3.6 Turbo & Turbo GT2	95 - 97	1842	1204
993 3.8 Carrera RS & RSR	95 - 97	1842	1204
993 4S [turbo look]	96 - 97	1842	1204
993 GT2 & RSR [disc ø 380 mm]	95 - 97	1908	1204
996 3.4 C & 3.6	97 - 05	2405	2406
996 3.4 C Cup	97 - 98	1842	2405
996 3.4 C Cup	99 - 01	2474	2405
996 3.6 C 4S	03 - 05	2474	2405
996 GT2	02 - 05	2707	2405
996 GT3	99 - 01	2474	2405
996 GT3	02 - 05	2707	2405
996 GT3 Cup	02 - 05	2707	2405
996 GT3 R & GT3 RS [race car]	00 - 05	1908	1674
996 GT3 RS [street car]	03 - 05	2707	2405
996 Turbo	99 - 05	2474	2405
997 3.6 C & 3.6 C4	05 - 09	2405	2406
997 3.6 C & 3.6 C4	08 - 11	8074	8006
997 3.8 C S & 3.8 C 4S	05 - 12	2474	2405
997 3.8 Carrera GTS	09 - 11	2474	2405
997 all models ceramic brakes	05 - 12	2707	8006
997 GT2 & GT2 RS	07 - 12	2707	8006
997 GT3	07 - 11	2707	8006
997 GT3 Cup [17 mm thick pads]	05 - 12	8003	8008
997 GT3 Cup [19 mm thick pads]	05 - 12	8004	8006
997 GT3 Cup Grand Am spec.	07 - 12	8038	8037
997 GT3 Cup S	08 - 12	8038	8037
997 GT3 RS	07 - 12	2707	8006
997 GT3 RSR	07 - 12	2488	1674

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Porsche

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
997 GT3 Rally	05 - 12	8003	8006
997 Turbo	06 - 12	2707	8006
718 Boxster 2.0 [982]	16 -	8074	2406
718 Boxster S 2.5 [982]	16 -	8074	2406
Boxster [986]	96 - 05	2407	2406
Boxster [987]	05 - 12	2407	2406
Boxster [987] [ceramic brakes]	05 - 12	2707	2405
Boxster 2.7 [981]	12 -	8074	2406
Boxster GTS 3.4 [981]	14 -	8074	2406
Boxster S [986]	99 - 05	2405	2406
Boxster S [987]	05 - 12	2405	2406
Boxster S 3.4 [981]	12 -	8074	2406
Boxster Spyder [981]	15 -	4922	4918
Carrera GT	04 - 06	2707	2707
Cayenne [cast iron & ceramic brakes]	06 -	4917	4918
Cayenne Turbo [18” wheels]	02 - 10	2845	2406
718 Cayman 2.0 [982]	16 -	8074	2406
718 Cayman S 2.5 [982]	16 -	8074	2406
Cayman [987]	06 - 09	2407	2406
Cayman [987]	09 - 12	2405	2406
Cayman [987] [ceramic brakes]	06 - 12	2707	2405
Cayman 2.7 [981]	13 -	8074	2406
Cayman GT4 [981]	16 -	4924	4925
Cayman GT4 [981] [ceramic brakes]	16 -	4927	4925
Cayman GT4 Clubsport [PFC brakes 22 / 20 mm]	16 -	4920	4921
Cayman GT4 Clubsport [PFC brakes 28 / 26 mm]	16 -	4928	4929
Cayman GT4 MR [PFC brakes 22 / 20 mm]	16 -	4920	4921
Cayman GT4 MR [PFC brakes 28 / 26 mm]	16 -	4928	4929
Cayman GTS 3.4 [981]	14 -	8074	2406
Cayman R [987] (none ceramic)	10 - 12	2405	2406
Cayman S [981] [ceramic brakes]	13 -	4908	2405
Cayman S [987]	06 - 12	2405	2406
Cayman S [ceramic brake caliper with RBD cast iron disc]	13 -	8235	8236
Cayman S 3.4 [981]	13 -	8074	2406
Panamera [cast iron & ceramic brakes]	09 - 16	4917	4909

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Proton			
Iriz R5	17 -	1616	1616
Renault			
A310	71 - 83	1703	
Alpine A110 / 1300 / 1600 / R16	73 - 76	1703	
Alpine A110 Cup + GT4	17 -	2488	2704
Clio 1.8 16V & 2.0 16V	91 - 98	3276	1610
Clio 3.0 V6 Turbo Sport	98 - 03	4345	
Clio II 3.0 V6 mid engine	00 - 05	1408	1408
Clio II V6 [race car]	01 - 05	1361	1270
Clio III 2.0 16V Sport	05 - 12	8023	1158
Clio III and IV Cup	16 -	8251	1158
Clio IV R3 Rally	12 -	8251	
Mégane Coach 2.0 16V	96 - 02	1702	1610
Mégane II Renault Sport & Clio Cup	05 - 09	8023	1158
Mégane III 2.0 RS [Brembo brakes] without electronic hand brake	08 - 16	2487	1158
Megane TCR	18 -	1539	1363
R5 Alpine / Alpine Turbo	76 - 84	1703	
RS01 [cast iron brakes]	15 -	8092	4923
Rover			
Healey 3000	61 - 64	8042	
Healey 3000	64 - 67	4905	8041
MG A 1.6 TC	58 - 60	8070	8070
Mini Cooper 10" wheel	63 - 69	1362	
Mini Cooper S 12" wheel	63 - 71	1363	
Spitfire / 1300 TC	67 - 80	3102	
Triumph Spitfire	67 - 80	3102	
Triumph TR4 / TR5	62 - 69	8041	
Triumph TR6	69 - 72	8041	
Saab			
99	67 - 74	4304	4122

请对型号列表的相关图纸进行核对!

PAGID RACING

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Seat			
Ibiza & Toledo 16V	91 - 99	1743	1158
Leon 1.8T Cupra R (Brembo)	03 - 06	1408	1158
Leon 2.8 Cupra 4 (Brembo)	01 - 06	1408	1158
Leon Cup Racer MK3 [race car]	14 -	1539	1363
Leon Cupra Cup MK2 [race car]	07 - 13	4346	1158
Leon Cupra TCR [race car]	15 -	1539	1363
Several		8064	
Toledo 2.3i V5	99 - 04	1678	1158
Sin Cars			
R1	15 -	1903	1903
R1 RS	15 -	1903	1903
R1 GT4	15 -	1903	1903
Skoda			
Fabia R5	14 -	1896	
Fabia R5 Tarmac Rally	14 - 16	1616	1616
Fabia R5 Tarmac Rally	17 -	1616	1616
Fabia RS Rallye S2000	15 -	1616	1616
Octavia 1.8i 20V Turbo	97 - 04	1678	1158
Several		8064	
Subaru			
Impreza 2.5 WRX (System Tokico)	11 -	8174	
STI 3rd & 4th generation	03 - 16	2487	1587
STI 5th generation [6 piston Brembo caliper]	17 -	8005	
WRX STI TCR	16 -	1539	1363
WRX Japan + EU	98 - 03	1406	
Sunbeam			
Alpine	64 - 67	4905	
Tiger	64 - 67	4905	

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
Talbot			
Simca 1000 Rallye I	69 - 81	4122	
Simca 1000 Rallye II+III	72 - 81	4304	
Tatuus			
F3 [Brembo Caliper]	18 -	1283	1283
Toyota			
GT86 2.0 GT (system Tokico)	12 -	8174	8175
GT86 2.0 GT R3 Rally	15 -	1595	3102
Yaris 1.3	06 - 13	4913	
Yaris Cup & MR2 Spyder		8029	
TVR			
Griffith	64 -	4508	1192
Volvo			
Amazone P121S	61 - 69	8042	
P1800	61 - 69	8042	
S60 Turbo R Brembo brakes	03 - 07	2487	1408
V70 R 2.5T Brembo brakes	03 - 07	2487	1408
VW			
Golf 1.1 / 1.3 / 1.6 GTI	75 - 83	4304	
Golf 1.5 / 1.6 / Polo	74 - 78	2723	
Golf III 2.0i GTI 16V & VR6	92 - 96	1743	1158
Golf III 2.0i GTI 16V & VR6	96 - 97	1678	1158
Golf IV 1.8 Turbo & 2.3i V5	97 - 04	1678	1158
Golf IV 2.8i V6	99 - 04	1678	1158
Golf IV 3.2 R32	02 - 05	2830	1158
Golf TCR [race car]	15 -	1539	1363
Golf V 3.2 R32	05 - 08	8064	8046
Golf V GTI (disc Ø 288 mm)	04 - 08	8001	8046
Golf V GTI (disc Ø 345 mm)	04 - 08	8064	8046
Golf VI 2.0R 4motion (disc Ø 345 mm)	09 - 12	8064	8046

请对型号列表的相关图纸进行核对!

制动片车型应用列表

Model	Year	PAGID Racing Pad Shape No.	
		Front	Rear
VW			
Golf VI GTI (disc Ø 312 mm)	09 - 12	8001	4936
Golf VII 2.0 GTI (disc Ø 340 mm) performance brake	13 -	8201	
Golf VII 2.0 R 4motion (disc Ø 340 mm) performance brake	13 -	8201	
Golf VII 2.0 GTI Clubsport	16 -	8201	
Lupo 1.6 GTI	00 - 05	1743	1158
New Beetle 1.8 Turbo 20V	99 - 10	1678	1158
New Beetle 2.3 & 3.2 V6	00 - 03	1678	1158
Polo (6N) 1.3i & 1.4i	94 - 99	4011	
Polo (6N) 1.4i 100 16V	99 - 01	1743	1158
Polo (6N) 1.6 GTI	98 - 01	1743	1158
Polo [MK5] 2.0R WRC [street car]	13 -	8001	1158
Scirocco	73 - 80	2723	
Touareg [ceramic brakes]	08 -	4917	4918
Wartburg			
1.0 / 1.3	66 - 91	8067	

请对型号列表的相关图纸进行核对!

EKSRX.COM
5
Audi Sport
EKSTRÖM
SONAX
Castrol
EDGE
Audi Sport

TCR Germany
F. Thoma
TCR Germany
L. Engstler
HYUNDAI
LIQUI MOLY
TEAM Engstler
HANKOOK
HANKOOK

刹车片制动卡钳应用列表

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
Alcon		
B type [4441]	16 / 18 / 20 / 22 / 25 mm	1595 / 8267 / 1607 / 8037 / 1674
A type	17 mm	1192
CAR12 [4494]	18 mm	8044
CAR17 [4417]	16.3 mm	8011
CAR23 [4423X650]	15 mm	4916
CAR68 [4423]	16 mm	4912
CAR94, CAR12 [4494]	30 mm	2016
CAR9549 D52	29 mm	2488
CAR9549 D64	29 mm	8100
DP88, TA6+, CAR95 [4495]	26.5 / 29 mm	2688 / 2557
H type [4463] D40 / D44 / D48	16 mm	1749 / 2127 / 1265
K type [4476]	15 / 20 mm	1756 / 2743
Mono4 [PNP4489]	15 mm	8050
Mono6 [4497 X 850] D57	16 mm	8007
Mono6 [4497 x 500]	16 mm	8028
P type [4436]	15.5 / 17.5 mm	8009 / 1203
PNP0084x379	25 mm	8045
PNP4417x550	18 mm	8011
PNP4488	18 mm	8043
PNR4423x600	18 mm	4912
PNR4423x650	15 mm	4916
R5	16 mm	1595
R type D42	14.4 mm	3102
R type [3451] D42 / D48	14.4 mm	3102 / 3190
RC4	16.7 mm	4345
RC6	17 mm	8081
SR, CAR22 [4422] D37	16 mm	8000
SR, CAR22 [4422] D43	16 / 20 mm	1705 / 1283
TA 4, CAR84 [4484]	18 / 22 / 24 mm	1842 / 8090 / 1908
TA6, CAR89, CAR11 [4489] D51	17 / 18 / 25 mm	8018 / 1903 / 1538
TA6, CAR89, CAR11 [4489] D54	18 / 25 / 25 / 28.5 mm	1904 / 1539 / 8245 / 8250
TPC CAR20 [4420] D61	17 / 24 / 28 / 30 mm	8033 / 3277 / 3279 / 3278
TPC CAR26 [4426]	20 / 25 / 28 mm	1896 / 1619 / 1618
XT [4464]	20 / 25 mm	2475 / 8268

请对型号列表的相关图纸进行核对!

PAGID RACING

刹车片制动卡钳应用列表

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
AP Racing		
CP 2270-144 / 145 S4QR CP 2271-182 / 183 S4QR	16.8 mm	1269
CP 2279-400 S4BP	16.6 mm	1361
CP 2361	16 mm	1749 / 1265
CP 2361-96 / 97 S4QR	16 mm	1749
CP 2561-3 S4	16.8 mm	1363
CP 3307-74 / 75 / 76 / 77 S4	16.8 mm	1361
CP 3696-6 E0	10.5 mm	1362
CP2195 D38 LD19	10.5 mm	1362
CP2270 D46	17 mm	1269
CP2279 D50	17 / 20 mm	1361 / 1270
CP2340 D40 / D48	16 mm	1749 / 1265
CP2372 D52	16 mm	8040
CP2382-12/13 E4 + CP2383-12/13 E4	16 mm	8040
CP2399 D43 LD20	15 mm	1363
CP2712 D44	15 mm	8068
CP3215 D40	17 mm	8237
CP3215 D42	17 / 18 mm	2126 / 8261
CP3228-26/27 S4	16 mm	1265 / 1749
CP3345 D44	16 mm	2127
CP3558 D46 / D51 / D54	25 mm	1813 / 1538 / 1539
CP3558 D51 / D54	28.5 mm	8192
CP3714 D54	20 / 25 mm	1267
CP3894 D46 / D51 / D54	18 mm	1852 / 1903 / 1904
CP5045 D61	18 / 22 mm	1842 / 8090
CP5070 D51	17 mm	8018
CP5119 D50	15 mm	1587
CP5510 D43	16 / 20 / 22 mm	1705 / 1283 / 8193
CP5788 D48	20 mm	1896
CP5820 D62	30 mm	2016
CP5850 D61	17.5 / 24 / 28 / 30 mm	8033 / 3277 / 3279 / 3278
CP6070 D49	25 mm	1674
CP6080 D54	29 mm	2557
CP6210 D51	26 mm	8233

请对型号列表的相关图纸进行核对!

刹车片制动卡钳应用列表

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
AP Racing		
CP6210 D54	25 / 26.5 / 29 / 31 / 32 mm	8222 / 2688 / 2557 / 2558 / 2559
CP6210 D64	30 mm	2560
CP6230 D54	25 / 25 mm	8222 / 8233
CP6268 D62	30 mm	2017
CP6269	25 / 26.5 / 29 / 30 / 30 mm	8222 / 2688 / 2557 / 2560 / 2564
CP6276 D62	30 mm	2019
CP6470 & CP6480 D49	25 mm	1674
CP6600 D55	16.7 mm	4345
CP6627 D51	16.7 mm	8214
CP6766 D50	18 mm	8044
CP6820 D46	16 mm	1617
CP7031 -4S0L / 5S0L D32 (F3 caliper)	16 mm	8060
CP7040 D58	16.7 mm	4346
CP7555 D69	16 mm	8258
CP7600 D46	14.4 / 16 mm	8076 / 4349
CP8250 D41	20 mm	2205
CP8250 D51	20 mm	2206
CP9660 D54	18 mm	1904
CP9665 D54	25 mm	8222
Baer Brakes		
S4	13 mm	1796
6P	15 mm	2213
6S	18 mm	1903
Brakeman		
F1 Tornado	10.5 mm	1362
F2 Tornado	15 mm	1363
F4 Tornado	17 / 20 mm	8195 / 2555
Brembo		
"Big Red" [type "132A" family]	18 / 22 / 24 mm	1842 / 8090 / 1908
07.1715. [type "62" family]	15 mm	4304
07.4180. [caliper family E]	15 mm	1587

请对型号列表的相关图纸进行核对!

PAGID RACING

刹车片制动卡钳应用列表

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
Brembo		
07.4865. GT (F-40) [caliper family B, H, P]	18 mm	1287
07.5064. [type "100" or B09 family]	16 / 20 / 22 mm	1705 / 1283 / 8193
07.5139. [type "132" or B13 family]	16 / 20 / 22 / 25 / 26.5 / 29 mm	1595 / 1607 / 8037 / 1674 / 2704 / 8191
07.5146. GT (Lotus) [caliper family A, C, F]	15 mm	1408
07.5169. [type "140" or B18 family]	16 / 17 / 20 / 25 / 28 mm	1616 / 8030 / 1896 / 1619 / 1618
07.5684. 8 piston [type "80" family]	20 mm	2053
07.5868. 8 piston	20 / 22 / 26.5 mm	2105
07.6955.1 [type "140C" or B19 family]	17.5 / 24 / 28 / 30 mm	8033 / 3277 / 3279 / 3278
07.7293. 6 piston [type “164” or B24 family]	20 / 22 / 25 / 29 / 31 mm	2687 / 8038 / 8087 / 2488 / 8173
07.7881. 4 piston [type “100A” or B08 family]	16 mm	8000
07.8544 8 piston [caliper family G]	16.5 mm	2931
07.A262.xx F3 [type B10 family]	16 mm	8049
CP 2712 D44	15 mm	8068
hp 2 piston 84.7x70	17 mm	8069
hp 4 piston 125x65	15.5 mm	8023
hp 6 piston 165x82	16.4 mm	8005
NASCAR front 07.7614 [type "B21" family]	30 mm	2016
NASCAR front 07.7614 bigger version [type "B21" family]	30 mm	2017
Type “B28” family; 6 piston D64 wide	21 / 25 / 26 / 29 / 31 mm	8102 / 8101 / 8194 / 8100 / 8103
XA3.40.xx 6 piston [type “164B" or “B22“ family]	18 mm	8044
XA5.71.L2 6 piston D57.5 [caliper family J, N]	16.8 mm	8062
XA5.71.M2 6 piston D48 [caliper family M]	16.8 mm	8061
XA5.71.xx 6 piston D66	17 mm	8081
XA5.71.xx 6 piston D76	17 mm	8083
XA5.71.xx 6 piston D85	16 mm	8091
XA6.S0.01/02 (F3 caliper)	16 mm	8049
XA6.S0.21/22 HRB version (F3 caliper)	16 mm	8049
XA6.S0.03/04 (F3 caliper)	16 mm	8049
XA6.S0.23/24 HRB version (F3 caliper)	16 mm	8049
XB2.15.11/12 (F3 caliper)	20 mm	1283
Caparo AP		
Racing caliper	16 mm	8078

请对型号列表的相关图纸进行核对!

刹车片制动卡钳应用列表

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
Coleman		
Series I & II	17 / 20 mm	8195 / 2555
Series III	16 mm	1595
Series IV	18 mm	1903
Dunlop		
07.1715.5	15 mm	4304
1 3/4" Zoll orig. Alfa Romeo Parts Nr. 105142205200	17 mm	8056
2 1/8" Zoll orig. Jaguar Parts Nr. VBO 5370	17 mm	8070
Kelsey Hayes		
1 3/4" Zoll orig. Jaguar Parts Nr. VBO 5375	17 mm	8071
Lockheed		
Mustang Mk1 / T5 / 289 GT	18 mm	8086
LD-19	10.5 mm	1362
Lucas-Girling		
16 / 4	17.5 mm	1203
14LF	14.4 mm	3190
14LF & D14R	14.4 mm	3102
16 / 4	24 mm	1916
18 / 4 RRS-19 & 18 / 4 RRS-25	20 mm	1267
AR 3	17.5 mm	8032
AR 5	17 / 20 mm	1192 / 1193
BR & B Type MK5	20 mm	4508
CR Caliper	24 mm	1195
D 12 / 14 R	14.4 mm	3102
Girling 3C & C-Type	18.5 mm	1191
LD-20	15 mm	1363
Lucas-Girling 12/3 WVA 20007	15.5 mm	8041
Lucas-Girling 17/3 WVA 20027	16 mm	8042
M16	15.5 mm	4905
NR	17.5 mm	8055
SL 38 / 43	17 mm	1361

请对型号列表的相关图纸进行核对!

PAGID RACING

刹车片制动卡钳应用列表

Race Caliper	Pad Thickness	PAGID Racing Pad Shape No.
Outlaw		
1000 / 1500	12 mm	1809USA
2000 / 2500	13 mm	1796
3000 / 3500 / 4000	17 / 20 mm	8195 / 2555
PFC		
ZR20 [Formula 3]	15.5 mm	8034
ZR22 4 piston	28.5 mm	8093
ZR27 4 piston (BMW M235i Racing)	27 mm	8197
ZR53 6 piston [D52]	29 mm	4923
ZR53 6 piston [D59.5]	29 mm	8092
ZR88	18 mm	8251
StopTech		
ST21	15 mm	4304
ST22	15 mm	1587
ST40	18 mm	1204
ST43 standard annulus	20 mm	2205
ST43 wide annulus	20 mm	2206
ST60	18 mm	1903
STR GT	17.5 / 24 / 28 / 30 mm	8033 / 3277 / 3279 / 3278
Wilwood		
Dynalite Centre Pin	13 mm	1796
Dynalite Single	12 mm	1809USA
Dynalite Pro 7816	16 mm	2581USA
GM Metric [D154]	15 mm	1594USA
GMII, GMIII [D52]	15 mm	1595USA
GN	20 / 25 mm	1798USA
GT 4000	20 mm	1607
Integra HP	24 mm	3277
Integra IP	25 mm	1619
IR - GT	20 mm	1283
NDL	16 mm	1712USA
Superlite	20 mm	2555
Superlite bridge bolt D43	17 / 20 mm	8195 / 2205
Superlite bridge bolt D51	20 mm	2206

请对型号列表的相关图纸进行核对!

GTLM
3

PORSCHE
bott
SCHERER
ZURICH
912
BESAGROUP
Mobil 1
PAGID
STALDC
Porsche Zentrum Wiesbaden
FALKEN
auto

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 1141 — Thickness: 17 mm

Information: BMW rear

Compounds: RSL 19



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1144 — Thickness: 19.5 mm

Information: BMW M3 E30 front

Compounds: RSL 29 RS 42



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1146 — Thickness: 15.5 mm

Information: -

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1151 — Thickness: 13.5 mm

Information: -

Compounds: RSH 42



Related Shape No. :	1177	-	-	-	-	-	
Thickness (mm) :	15.5	-	-	-	-	-	

Shape No.: 1158 — Thickness: 15 mm

Information: Audi / VW rear

Compounds: RSL 19 RSL 29 RS 14 RS 42 RS 44



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1163 — Thickness: 13.7 mm

Information: Caterham

Compounds: RS 14 RS 42



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 1177 — Thickness: 15.5 mm

Information: Opel

Compounds: RSH 42



Related Shape No. :	1151	-	-	-	-	-
Thickness (mm) :	13.5	-	-	-	-	-

Shape No.: 1190 — Thickness: 19 mm

Information: -

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1191 — Thickness: 18.5 mm

Information: -

Compounds: RSH 3 RSH 29E RSH 42



Related Shape No. :	1195	-	-	-	-	-
Thickness (mm) :	24	-	-	-	-	-

Shape No.: 1192 — Thickness: 17 mm

Information: -

Compounds: RSH 3 RSH 29E RSH 42



Related Shape No. :	1193	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 1193 — Thickness: 20 mm

Information: -

Compounds: RSH 29E



Related Shape No. :	1192	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 1195 — Thickness: 24 mm

Information: -

Compounds: RSH 3 RSH 29E



Related Shape No. :	1191	-	-	-	-	-
Thickness (mm) :	18.5	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 1203 — Thickness: 17.5 mm

Information: Alcon / Ferrari / Lucas-Girling / Maserati / Porsche

Compounds: RSL 19 | RSL 29 | RST 3 | RST 4 | RS 14 | RS 42 | RS 44



Related Shape No. :	1916	8009	-	-	-	-
Thickness (mm) :	24	15.5	-	-	-	-

Shape No.: 1204 — Thickness: 18 mm

Information: Porsche / StopTech

Compounds: RSL 19 | RSL 29 | RST 3 | RS 14 | RS 42 | RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1265 — Thickness: 16 mm

Information: Alcon / AP Racing / Caterham

Compounds: RSL 29 | RST 1 | RST 2 | RST 5 | RSH 3 | RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1267 — Thickness: 20 mm

Information: AP Racing / Lucas-Girling

Compounds: RSL 19



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1269 — Thickness: 17 mm

Information: AP Racing

Compounds: RSL 29 | RST 1 | RST 2 | RST 4 | RSH 3 | RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1270 — Thickness: 20 mm

Information: AP Racing / BMW / Chevrolet

Compounds: RSL 1 | RSL 29 | RS 42 | RST 1 | RST 2 | RST 3 | RST 5



Related Shape No. :	1361	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 1276 — Thickness: 19.5 mm

Information: Audi

Compounds: RSL 29 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1283 — Thickness: 20 mm

Information: Alcon / AP Racing / Brembo

Compounds: RST 1 | RST 2 | RST 3 | RST 4 | RST 5 | RS 42 | RS 44



Related Shape No. :	1705	8193	-	-	-	-
Thickness (mm) :	16	22	-	-	-	-

Shape No.: 1285 — Thickness: 16.8 mm

Information: BMW rear

Compounds: RSL 1 | RSL 29 | RST 4 | RS 14 | RS 42 | RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1287 — Thickness: 18 mm

Information: Brembo

Compounds: RSL 1 | RSL 29 | RS 14 | RS 42 | RS 44 | RST 1 | RST 2 | RST 3 | RST 4 | RSC 1 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1288 — Thickness: 17.5 mm

Information: Opel

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1291 — Thickness: 17.8 mm

Information: BMW front

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 1295 — Thickness: 19.5 mm

Information: Alfa Romeo / BMW

Compounds: RSL 1, RSL 29, RS 14, RS 42, RST 1, RST 2, RST 3, RS 44



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1323 — Thickness: 14.5 mm

Information: -

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1361 — Thickness: 17 mm

Information: AP Racing / Lucas-Girling

Compounds: RSL 1, RSL 29, RS 14, RSH 3, RSH 42, RST 1, RST 2, RST 3, RST 4, RST 5



Related Shape No. :	1270	-	-	-	-	-	
Thickness (mm) :	20	-	-	-	-	-	

Shape No.: 1362 — Thickness: 10.5 mm

Information: AP Racing / Formula Ford

Compounds: RSH 3, RSH 42



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1363 — Thickness: 15 mm

Information: AP Racing / Formula Ford

Compounds: RSL 2, RSL 29, RST 2, RST 4, RSH 42, RS 14, RS 44



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 1406 — Thickness: 14.5 mm

Information: Mitsubishi / Nissan / Subaru

Compounds: RSL 1, RSL 29, RST 3, RS 14, RS 42



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 1408 — Thickness: 15 mm

Information: Brembo / Ferrari

Compounds: RSL 1 | RSL 29 | RS 14 | RS 42 | RS 44 | RST 1 | RST 3 | RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1427 — Thickness: 17.2 mm

Information: BMW / Nissan

Compounds: RSL 1 | RSL 29 | RST 3 | RS 42 | RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1538 — Thickness: 25 mm

Information: Alcon / AP Racing / StopTech

Compounds: RSL 19 | RSL 29 | RST 1 | RST 3



Related Shape No. :	1903	8018	8192	-	-	-
Thickness (mm) :	18	17	28,5	-	-	-

Shape No.: 1539 — Thickness: 25 mm

Information: Alcon / AP Racing

Compounds: RSL 1 | RSL 2 | RSL 29 | RS 42 | RST 1 | RST 2 | RST 3 | RST 4 | RST 5



Related Shape No. :	1904	8250	-	-	-	-
Thickness (mm) :	18	28.5	-	-	-	-

Shape No.: 1544 — Thickness: 17.5 mm

Information: BMW / Citroen

Compounds: RSL 29 | RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1580 — Thickness: 14.5 mm

Information: Porsche

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 1587 — Thickness: 15 mm

Information: AP Racing / Brembo / StopTech

Compounds: RSL 19 | RSL 29 | RST 3 | RST 4 | RS 14 | RS 42 | RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1591 — Thickness: 15.6 mm

Information: Mitsubishi

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1594USA — Thickness: 15 mm

Information: GM Intermediate

Compounds: on inquiry





Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1595USA — Thickness: 15 mm

Information: GM Metric

Compounds: on inquiry





Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 1595 — Thickness: 16 mm

Information: Alcon / Brembo / AP Racing

Compounds: RSL 1, RSL 19, RSL 29, RS 14, RS 42, RST 1, RST 2, RST 3, RST 4, RS 44, RST 5



Related Shape No. :	1607	1674	2704	8037	8191	8267
Thickness (mm) :	20	25	26.5	22	29	18

Shape No.: 1607 — Thickness: 20 mm

Information: Alcon / Brembo / Wilwood

Compounds: RSL 1, RSL 29, RS 14, RS 42, RST 1, RST 2, RST 3, RST 5



Related Shape No. :	1595	1674	2704	8037	8191	8267
Thickness (mm) :	16	25	26.5	22	29	18

Shape No.: 1610 — Thickness: 12 mm

Information: Citroen / Peugeot / Renault rear

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1616 — Thickness: 16 mm

Information: Brembo / Ford / Skoda

Compounds: RST 1, RST 2, RST 3, RST 5



Related Shape No. :	1618	1619	1896	8030	-	-
Thickness (mm) :	28	26	20	17	-	-

Shape No.: 1617 — Thickness: 16 mm

Information: AP Racing / Ford

Compounds: RST 1, RST 3, RST 5



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1618 — Thickness: 28 mm

Information: Alcon / Brembo

Compounds: RSL 1, RSL 29



Related Shape No. :	1616	1619	1896	8030	-	-
Thickness (mm) :	16	26	20	17	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 1619 — Thickness: 26 mm

Information: Alcon / Brembo / Wilwood

Compounds: RSL 1 | RST 1 | RST 3



Related Shape No. :	1616	1618	1896	8030	-	-
Thickness (mm) :	16	28	20	17	-	-

Shape No.: 1620 — Thickness: 16.5 mm

Information: Opel

Compounds: RST 3 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1674 — Thickness: 25 mm

Information: Alcon / AP Racing / Brembo

Compounds: RSL 1 | RSL 2 | RSL 19 | RSL 29 | RSL D1 | RST 1 | RST 2 | RST 3 | RST 4 | RST D1 | RS 44



Related Shape No. :	1595	1607	2704	8037	8191	8267
Thickness (mm) :	16	20	26.5	22	29	18

Shape No.: 1678 — Thickness: 19.5 mm

Information: Audi / Seat / Skoda / VW

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1682 — Thickness: 13 mm

Information: Dodge / Lotus / Opel

Compounds: RST 3 | RS 14 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1702 — Thickness: 19 mm

Information: Renault

Compounds: RSL 29 | RST 3 | RS 14 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 1703 — Thickness: 12 mm

Information: -

Compounds: RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1705 — Thickness: 16 mm

Information: Alcon / AP Racing / Brembo

Compounds: RSL 29 | RST 1 | RST 3 | RST 5 | RS 14



Related Shape No. :	1283	8193	-	-	-	-
Thickness (mm) :	20	22	-	-	-	-

Shape No.: 1712USA — Thickness: 16 mm

Information: Wilwood

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1743 — Thickness: 16 mm

Information: Seat / VW

Compounds: RS 14 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1744 — Thickness: 19.5 mm

Information: -

Compounds: RSH 29E | RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1749 — Thickness: 16 mm

Information: Alcon / AP Racing

Compounds: RSL 2 | RST 1 | RST 2 | RST 4 | RST 5 | RSL 29 | RSH 3 | RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 1756 — Thickness: 20 mm

Information: Alcon

Compounds: RSL 29



Related Shape No. :	2743	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 1796 — Thickness: 13 mm

Information: Outlaw / Wilwood

Compounds: RSL 29 RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1798USA — Thickness: 20 mm

Information: Wilwood

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1809USA — Thickness: 12 mm

Information: Wilwood

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1813 — Thickness: 25 mm

Information: AP Racing

Compounds: RSL 1 RST D1



Related Shape No. :	1852	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Shape No.: 1842 — Thickness: 18 mm

Information: Alcon / AP Racing / Audi / Brembo / Porsche

Compounds: RSL 1 RSL 19 RSL 29 RST 3 RS 14 RS 42 RS 44



Related Shape No. :	1908	8090	-	-	-	-
Thickness (mm) :	24	22	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 1852 — Thickness: 18 mm

Information: AP Racing

Compounds: RSL 29 | RST 3



Related Shape No. :	1813	-	-	-	-	-
Thickness (mm) :	25	-	-	-	-	-

Shape No.: 1896 — Thickness: 20 mm

Information: Alcon / AP Racing / Brembo / Ferrari

Compounds: RSL 1 | RSL 29 | RS 14 | RST 1 | RST 2 | RST 3 | RST 5



Related Shape No. :	1616	1618	1619	8030	-	-
Thickness (mm) :	16	28	26	17	-	-

Shape No.: 1897 — Thickness: 14.5 mm

Information: Mitsubishi

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 1903 — Thickness: 18 mm

Information: Alcon / AP Racing / Coleman / StopTech

Compounds: RSL 1 | RSL 2 | RSL 29 | RS 14 | RS 42 | RST 1 | RST 3 | RST 4 | RSC 1



Related Shape No. :	1538	8018	8192	-	-	-
Thickness (mm) :	25	17	28.5	-	-	-

Shape No.: 1904 — Thickness: 18 mm

Information: Alcon / AP Racing / Honda (Acura) / Mitsubishi

Compounds: RSL 1 | RSL 19 | RSL 29 | RST 1 | RST 3 | RST 5



Related Shape No. :	8245	8250	-	-	-	-
Thickness (mm) :	25	28.5	-	-	-	-

Shape No.: 1908 — Thickness: 24 mm

Information: Alcon / Brembo / Porsche

Compounds: RSL 1 | RSL 29 | RST 3



Related Shape No. :	1842	8090	-	-	-	-
Thickness (mm) :	18	22	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 1916 — Thickness: 24 mm

Information: Alcon / Porsche

Compounds: RSH 29E | RSH 42



Related Shape No. :	1203	8009	-	-	-	-
Thickness (mm) :	17.5	15.5	-	-	-	-

Shape No.: 2016 — Thickness: 30 mm

Information: Alcon / AP Racing / Brembo

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2017 — Thickness: 30 mm

Information: AP Racing / Bentley / Brembo / Chevrolet

Compounds: RSL 1 | RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2019 — Thickness: 30 mm

Information: AP Racing / BMW

Compounds: RSL 1 | RST 1 | RST 5



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2053 — Thickness: 20 mm

Information: Brembo

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2105 — Thickness: 22 mm

Information: Brembo

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 2126 — Thickness: 17 mm

Information: AP Racing

Compounds: RSL 1 | RSL 29 | RST 1 | RST 3 | RST 5 | RS 42



Related Shape No. :	8216	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Shape No.: 2127 — Thickness: 16 mm

Information: Alcon / AP Racing

Compounds: RSL 1 | RSL 29 | RST 3 | RST 4 | RST 5 | RS 14 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2180 — Thickness: 17.2 mm

Information: BMW

Compounds: RSL 29 | RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2205 — Thickness: 20 mm

Information: AP / Wilwood

Compounds: RST 1



Related Shape No. :	8195	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 2206 — Thickness: 20 mm

Information: AP Racing / StopTech / Wilwood

Compounds: RSL 29 | RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2213 — Thickness: 15 mm

Information: Corvette C5 / C6 base

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 2275 — Thickness: 19.5 mm

Information: Opel

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2388 — Thickness: 18.5 mm

Information: Citroen, Peugeot

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2405 — Thickness: 18.5 mm

Information: Porsche

Compounds: RSL 1, RSL 19, RSL 29, RST 3, RST 4, RS 14, RS 42, RS 44, RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2406 — Thickness: 15.5 mm

Information: Porsche

Compounds: RSL 1, RSL 19, RSL 29, RST 3, RS 14, RS 42, RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2407 — Thickness: 15.5 mm

Information: Porsche

Compounds: RSL 29, RST 3, RS 14, RS 42, RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2445 — Thickness: 15.5 mm

Information: Mitsubishi

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 2474 — Thickness: 18.5 mm

Information: Porsche

Compounds: RSL 19, RSL 29, RS 14, RS 42, RS 44, RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2475 — Thickness: 20 mm

Information: Alcon

Compounds: RST 1, RST 3



Related Shape No. :	8268	-	-	-	-	-
Thickness (mm) :	25	-	-	-	-	-

Shape No.: 2487 — Thickness: 16 mm

Information: Brembo

Compounds: RSL 1, RSL 19, RSL 29, RS 14, RS 42, RST 1, RST 3, RST 5, RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2488 — Thickness: 29 mm

Information: Alcon / Brembo

Compounds: RSL 1, RSL 2, RSL 19, RSL 29, RST 1, RST 2, RST 3



Related Shape No. :	2687	8038	8087	8173	-	-
Thickness (mm) :	20	22	25	31	-	-

Shape No.: 2555 — Thickness: 20 mm

Information: Brakeman / Coleman / Opel / Outlaw / Wilwood

Compounds: RSL 1, RSL 29, RS 14, RST 1, RST 3, RST 4, RST 5



Related Shape No. :	8195	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 2557 — Thickness: 29 mm

Information: Alcon / AP Racing / McLaren

Compounds: RSL 1, RSL 29, RST 1, RST 2, RST 3



Related Shape No. :	2558	2559	2688	8222	-	-
Thickness (mm) :	31	32	26.5	25	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 2558 — Thickness: 31 mm

Information: BMW

Compounds: RSL 1



Related Shape No. :	2557	2559	2688	8222	-	-
Thickness (mm) :	29	32	26.5	25	-	-

Shape No.: 2559 — Thickness: 32 mm

Information: Alcon / AP Racing

Compounds: RSL 1



Related Shape No. :	2557	2558	2688	8222	-	-
Thickness (mm) :	29	31	26.5	25	-	-

Shape No.: 2560 — Thickness: 30 mm

Information: AP Racing / Nissan

Compounds: RSL 1 RST 1 RST 5



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2564 — Thickness: 30 mm

Information: AP Racing / AMG GT 3, GT 4

Compounds: RSL 1 RSL 2 RST 1 RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2581USA — Thickness: 16 mm

Information: Wilwood

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2593 — Thickness: 14.6 mm

Information: Lotus / Opel

Compounds: RS 14



Related Shape No. :	1587	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

插图仅用于识别。保留修改，设计或应用模型的权利。即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 2623 — Thickness: 17.3 mm

Information: Honda (Acura)

Compounds: RSL 29 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2683 — Thickness: 19 mm

Information: BMW / Maserati

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2685 — Thickness: 17 mm

Information: BMW / Maserati

Compounds: RSL 1 | RSL 29 | RST 1 | RST 4



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2687 — Thickness: 20 mm

Information: Brembo

Compounds: RSL 29



Related Shape No. :	2488	8038	8087	8173	-	-
Thickness (mm) :	29	22	25	31	-	-

Shape No.: 2688 — Thickness: 26.5 mm

Information: Alcon / AP Racing

Compounds: RSL 19 | RSL 29 | RST 1



Related Shape No. :	2557	2558	2559	8222	-	-
Thickness (mm) :	29	31	32	25	-	-

Shape No.: 2704 — Thickness: 26.5 mm

Information: Audi / Brembo

Compounds: RSL 1 | RSL 2 | RSL 19 | RSL 29 | RSL D1 | RST D1



Related Shape No. :	1595	1607	1674	8037	8191	8267
Thickness (mm) :	16	20	25	22	29	18

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 2707 — Thickness: 18 mm

Information: Porsche

Compounds: RSL 19 | RSL 29 | RS 14 | RS 44 | RSC 1 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2723 — Thickness: 18 mm

Information: -

Compounds: RSH 29E



Related Shape No. :	4304	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 2743 — Thickness: 15 mm

Information: Alcon

Compounds: RSC 1



Related Shape No. :	1756	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 2830 — Thickness: 20 mm

Information: Audi / Mercedes / VW

Compounds: RSL 29 | RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2845 — Thickness: 16 mm

Information: Porsche / VW

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2905USA — Thickness: 12.5 mm

Information: Willwood

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 2931 — Thickness: 16.5 mm

Information: Audi / Brembo / Lamborghini / Mitsubishi

Compounds: RSL 1 | RSL 29 | RST 1 | RST 3 | RS 14 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 2959 — Thickness: 17.3 mm

Information: BMW

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3102 — Thickness: 14.4 mm

Information: Alcon / Caterham / Citroen / Lucas-Girling / Toyota

Compounds: RST 4 | RS 14 | RS 42 | RS 44 | RSH 3 | RST 5 | RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3190 — Thickness: 14.4 mm

Information: -

Compounds: RSH 29E | RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3242 — Thickness: 15.5 mm

Information: -

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 3276 — Thickness: 18 mm

Information: Peugeot / Renault

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 3277 — Thickness: 24 mm

Information: Alcon / AP Racing / Brembo / StopTech / Wilwood

Compounds: RSL 1 RSL 29



Related Shape No. :	3278	3279	8033	-	-	-
Thickness (mm) :	30	28	17.5	-	-	-

Shape No.: 3278 — Thickness: 30 mm

Information: Alcon / AP Racing / Brembo / StopTech

Compounds: RST 1



Related Shape No. :	3277	3279	8033	-	-	-
Thickness (mm) :	24	28	17.5	-	-	-

Shape No.: 3279 — Thickness: 28 mm

Information: Alcon / AP Racing / Brembo / StopTech

Compounds: RST 2



Related Shape No. :	3277	3278	8033	-	-	-
Thickness (mm) :	24	30	17.5	-	-	-

Shape No.: 3830USA — Thickness: 14.5 mm

Information: Mazda / Fiat

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4011 — Thickness: 15.5 mm

Information: VW

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 4122 — Thickness: 14.7 mm

Information: Porsche

Compounds: RSH 29E | RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4304 — Thickness: 15 mm

Information: Brembo / Porsche / StopTech

Compounds: RS 14 | RSH 3 | RSH 29E | RSH 42



Related Shape No. :	2723	-	-	-	-	-
Thickness (mm) :	18	-	-	-	-	-

Shape No.: 4345 — Thickness: 16.7 mm

Information: Alcon / AP Racing / Lotus / McLaren / Renault

Compounds: RSL 1 | RSL 2 | RSL 29 | RS 14 | RST 1 | RST 2 | RST 3 | RST 4



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4346 — Thickness: 16.7 mm

Information: AP Racing / McLaren / Seat

Compounds: RSL 1 | RSL 2 | RSL 29 | RST 1 | RST 3 | RS 14 | RSC 1



Related Shape No. :	8261	-	-	-	-	-
Thickness (mm) :	25	-	-	-	-	-

Shape No.: 4349 — Thickness: 16 mm

Information: AP Racing / Caterham / Lotus

Compounds: RSL 1 | RSL 29 | RST 1 | RST 2 | RST 3 | RS 14 | RS 42 | RSC 1



Related Shape No. :	8076	-	-	-	-	-
Thickness (mm) :	14.4	-	-	-	-	-

Shape No.: 4501 — Thickness: 15 mm

Information: -

Compounds: RSH 3 | RSH 29E | RSH 42



Related Shape No. :	4503	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 4503 — Thickness: 19 mm

Information: -

Compounds: RSH 29E, RSH 42



Related Shape No. :	4501	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4507 — Thickness: 16.5 mm

Information: -

Compounds: RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4508 — Thickness: 16 mm

Information: -

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4509 — Thickness: 15.6 mm

Information: -

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4580 — Thickness: 15.25 mm

Information: Ferrari

Compounds: RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4581 — Thickness: 15 mm

Information: Ferrari

Compounds: RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 4623 | Thickness: 18.5 mm

Information: -

Compounds: RSH 42



Related Shape No. :	4634	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4634 | Thickness: 15 mm

Information: -

Compounds: RSH 42



Related Shape No. :	4623	-	-	-	-	-
Thickness (mm) :	18.5	-	-	-	-	-

Shape No.: 4702 | Thickness: 19 mm

Information: -

Compounds: RSH 29E RSH 42



Related Shape No. :	4703	-	-	-	-	-
Thickness (mm) :	15	-	-	-	-	-

Shape No.: 4703 | Thickness: 15 mm

Information: -

Compounds: RSH 29E RSH 42



Related Shape No. :	4702	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Shape No.: 4823 | Thickness: 18 mm

Information: Ford

Compounds: RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4905 | Thickness: 15.5 mm

Information: -

Compounds: RSH 29E RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 4906 — Thickness: 16.3 mm

Information: Chevrolet / Ferrari / Lamborghini

Compounds: RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4907 — Thickness: 16 mm

Information: Audi / Lamborghini

Compounds: RSL 29 | RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4908 — Thickness: 17.5 mm

Information: Porsche

Compounds: RSL 1 | RSL 29 | RST 1 | RST 3 | RSC 1 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4909 — Thickness: 16 mm

Information: Porsche

Compounds: RSL 1 | RSL 19 | RSL 29 | RST 1 | RST 3 | RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4910 — Thickness: 20 mm

Information: Audi / Bentley

Compounds: RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4912 — Thickness: 16 mm

Information: Alcon

Compounds: RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 4913 — Thickness: 17.9 mm

Information: Toyota

Compounds: RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4916 — Thickness: 15 mm

Information: Alcon

Compounds: RST 1 RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4917 — Thickness: 16 mm

Information: Porsche / VW

Compounds: RSL 1 RSL 29 RSC 1 RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4918 — Thickness: 16.3 mm

Information: Porsche / VW

Compounds: RSL 1 RSL 19 RSL 29 RST 3 RSC 1 RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4920 — Thickness: 22 mm

Information: Porsche

Compounds: RSL 1 RSL 29 RST 1 RST 3



Related Shape No. :	4928	-	-	-	-	-
Thickness (mm) :	28	-	-	-	-	-

Shape No.: 4921 — Thickness: 20 mm

Information: Porsche

Compounds: RSL 1 RSL 19 RSL 29 RST 1 RST 3



Related Shape No. :	4929	-	-	-	-	-
Thickness (mm) :	26	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 4922 — Thickness: 17.3 mm

Information: Porsche

Compounds: RSL 1 | RSL 29 | RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4923 — Thickness: 29 mm

Information: Ginetta / PFC

Compounds: RSL 1 | RSL 2 | RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4924 — Thickness: 16.6 mm

Information: Porsche

Compounds: RSL 1 | RSL 29 | RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4925 — Thickness: 18 mm

Information: Porsche

Compounds: RSL 1 | RSL 19 | RSL 29 | RST 1 | RST 3 | RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4927 — Thickness: 18.5 mm

Information: Porsche

Compounds: RSL 1 | RSL 29 | RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4928 — Thickness: 28 mm

Information: Porsche

Compounds: RSL 1 | RSL 2 | RSL 19 | RSL 29 | RST 1 | RST 3



Related Shape No. :	4920	-	-	-	-	-
Thickness (mm) :	22	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 4929 — Thickness: 26 mm

Information: Porsche

Compounds: RSL 1 | RSL 2 | RSL 19 | RSL 29 | RSL D1 | RST 3 | RST D1



Related Shape No. :	4921	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 4930 — Thickness: 19 mm

Information: Alpina

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4931 — Thickness: 17.5 mm

Information: Alpina / BMW

Compounds: RSL 1 | RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4932 — Thickness: 18 mm

Information: Alpina / BMW

Compounds: RSL 29 | RSC 1 | RSC 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4933 — Thickness: 16.5 mm

Information: Alpina / BMW

Compounds: RSL 1 | RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4934 — Thickness: 19.5 mm

Information: BMW

Compounds: RSL 29 | RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 4935 — Thickness: 19.4 mm

Information: BMW

Compounds: RSC 1 | RSC 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4936 — Thickness: 16.7 mm

Information: Audi / VW

Compounds: RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4937 — Thickness: 17.6 mm

Information: Audi / Bentley / Lamborghini

Compounds: RSC 1 | RSC 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4938 — Thickness: 17 mm

Information: Audi / Bentley

Compounds: RSC 1 | RSC 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4939 — Thickness: 16.2 mm

Information: Opel

Compounds: RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4940 — Thickness: 17.5 mm

Information: Fiat / Opel

Compounds: RST 3 | RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 4941 — Thickness: 16.2 mm

Information: Aston Martin

Compounds: RSC 1 RSC 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4943 — Thickness: 16 mm

Information: Aston Martin

Compounds: RSC 1 RSC 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4945 — Thickness: 18.9 mm

Information: Nissan

Compounds: RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 4946 — Thickness: 17.9 mm

Information: Nissan

Compounds: RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 7034 — Thickness: 19 mm

Information: Hyundai

Compounds: RSL 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 7035 — Thickness: 16 mm

Information: Hyundai

Compounds: RSL 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8000 — Thickness: 16 mm

Information: Alcon / Brembo

Compounds: RSL 29 | RST 2 | RST 4 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8001 — Thickness: 20 mm

Information: Audi / VW

Compounds: RSL 29 | RST 3 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8003 — Thickness: 17.5 mm

Information: Porsche

Compounds: RSL 1 | RSL 29 | RST 1 | RST 5 | RS 14



Related Shape No. :	8004	-	-	-	-	-
Thickness (mm) :	19.5	-	-	-	-	-

Shape No.: 8004 — Thickness: 19.5 mm

Information: Porsche

Compounds: RSL 1 | RSL 19 | RSL 29 | RS 14 | RST 1 | RST 3 | RST 5



Related Shape No. :	8003	-	-	-	-	-
Thickness (mm) :	17.5	-	-	-	-	-

Shape No.: 8005 — Thickness: 16.4 mm

Information: Brembo / Ford / Lexus / Maserati / Mercedes

Compounds: RSL 1 | RSL 19 | RS 14



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8006 — Thickness: 19 mm

Information: Porsche

Compounds: RSL 1 | RSL 19 | RSL 29 | RS 14 | RST 1 | RST 3 | RST 5 | RSC 1 | RSC 3



Related Shape No. :	8008	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8007 — Thickness: 16 mm

Information: Alcon

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8008 — Thickness: 17 mm

Information: Porsche

Compounds: RSL 1 | RSL 29 | RST 3 | RSC 1



Related Shape No. :	8006	-	-	-	-	-
Thickness (mm) :	19	-	-	-	-	-

Shape No.: 8009 — Thickness: 15.5 mm

Information: Alcon / Porsche

Compounds: RS 42



Related Shape No. :	1203	1916	-	-	-	-
Thickness (mm) :	17.5	24	-	-	-	-

Shape No.: 8010 — Thickness: 17 mm

Information: Honda (Acura)

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8011 — Thickness: 16 mm

Information: Alcon

Compounds: RSL 29 | RST 1 | RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8018 — Thickness: 17 mm

Information: Alcon / AP Racing

Compounds: RSL 29 | RST 1 | RST 2 | RST 3 | RST 4



Related Shape No. :	1538	1903	8192	-	-	-
Thickness (mm) :	25	18	28.5	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8019 — Thickness: 20 mm

Information: BMW / Jaguar

Compounds: RSL 19



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8021 — Thickness: 16.2 mm

Information: BMW

Compounds: RSL 1 | RSL 19 | RST 2 | RS 44 | RSC 1 | RSC 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8023 — Thickness: 15.5 mm

Information: Alfa Romeo / Brembo / Chevrolet / Mazda / Opel Renault

Compounds: RSL 1 | RSL 2 | RSL 29 | RST 1 | RST 3 | RST 4 | RST 5



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8027 — Thickness: 17.4 mm

Information: Mercedes

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8028 — Thickness: 16 mm

Information: Alcon

Compounds: RSL 29 | RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8029 — Thickness: 16.5 mm

Information: Toyota

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8030 — Thickness: 17 mm

Information: Brembo / Mitsubishi

Compounds: RST 1 | RST 3 | RST 4 | RST 5



Related Shape No. :	1616	1618	1619	1896	-	-
Thickness (mm) :	16	28	26	20	-	-

Shape No.: 8031 — Thickness: 16 mm

Information: Mercedes

Compounds: RSL 19



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8032 — Thickness: 17.5 mm

Information: -

Compounds: RSH 3 | RSH 29E | RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8033 — Thickness: 17.5 mm

Information: Alcon / AP Racing / Brembo / Mitsubishi / StopTech

Compounds: RSL 1 | RST 1 | RST 3 | RST 4 | RST 5



Related Shape No. :	3277	3278	3279	-	-	-
Thickness (mm) :	24	30	28	-	-	-

Shape No.: 8034 — Thickness: 15.5 mm

Information: PFC Formula 3

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8035 — Thickness: 16.5 mm

Information: BMW

Compounds: RSL 1 | RSL 29 | RS 44





Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8037 — Thickness: 22 mm

Information: Alcon / Brembo / Porsche

Compounds: RSL 1 | RSL 19 | RSL 29 | RST 1 | RST 2



Related Shape No. :	1595	1607	1674	2704	8191	8267
Thickness (mm) :	16	20	25	26.5	29	18

Shape No.: 8038 — Thickness: 22 mm

Information: Brembo / Porsche

Compounds: RSL 1 | RSL 19 | RSL 29 | RS 14 | RST 1 | RST 2 | RST 3



Related Shape No. :	2488	2687	8087	8173	-	-
Thickness (mm) :	29	20	25	31	-	-

Shape No.: 8039 — Thickness: 16.8 mm

Information: Audi / Bentley

Compounds: RSL 19 | RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8040 — Thickness: 16 mm

Information: -

Compounds: RSH 3 | RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。保留修改，设计或应用模型的权利。即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8041 — Thickness: 15.5 mm

Information: -

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8042 — Thickness: 16 mm

Information: -

Compounds: RSH 29E RSH 42



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8043 — Thickness: 18 mm

Information: Alcon

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8044 — Thickness: 18 mm

Information: AP Racing / Brembo

Compounds: RSL 1 RST 1 RST 3 RST 5



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8045 — Thickness: 25 mm

Information: Alcon

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8046 — Thickness: 17.2 mm

Information: Audi / VW

Compounds: RSL 19 RS 44



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8049 — Thickness: 16 mm

Information: Brembo

Compounds: RSL 1, RSL 19, RSL 29, RST 1, RST 2, RST 3, RST 4, RST 5, RS 34, RS 36, RS 42



Related Shape No. :	8217	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 8049U — Thickness: 16 mm

Information: 8049 with light weight back plate, direction bounded

Compounds: RS 34



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8050 — Thickness: 15 mm

Information: Alcon

Compounds: RSL 29, RST 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8051 — Thickness: 17.3 mm

Information: BMW

Compounds: RSL 1, RSL 19



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8053 — Thickness: 20.3 mm

Information: BMW

Compounds: RSL 1, RSL 19, RST 1, RST 2, RST 3, RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8055 — Thickness: 17.5 mm

Information: -

Compounds: RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8056 — Thickness: 17 mm

Information: -

Compounds: RSH 3 | RSH 29E



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8057 — Thickness: 14 mm

Information: -

Compounds: RSH 3



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8058 — Thickness: 22 mm

Information: Set of 8 pcs

Compounds: RSH 3



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8059 — Thickness: 25 mm

Information: -

Compounds: RSH 3 | RSH 29E



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8060 — Thickness: 16 mm

Information: AP Racing

Compounds: RSL 19 | RST 1 | RST 2 | RS 34 | RS 36 | RSL 29 | RST 3 | RST 4 | RS 42



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8060U — Thickness: 16 mm

Information: 8060 with light weight back plate, direction bounded

Compounds: RS 34



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8061 — Thickness: 16.8 mm

Information: Brembo

Compounds: RSL 29 | RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8062 — Thickness: 16.8 mm

Information: Brembo

Compounds: RSL 1 | RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8064 — Thickness: 19.5 mm

Information: Audi / Mazda / Seat / Skoda / VW

Compounds: RSL 19 | RST 2 | RST 3





Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8067 — Thickness: 15 mm

Information: -

Compounds: RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8068 — Thickness: 15 mm

Information: -

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8069 — Thickness: 17 mm

Information: Brembo / Mitsubishi / VW

Compounds: RSL 19 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8070 — Thickness: 17 mm

Information: Comes w.o. back plate slot

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8071 — Thickness: 17 mm

Information: Comes w.o. back plate slot

Compounds: RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8074 — Thickness: 18.5 mm

Information: Porsche

Compounds: RSL 1 | RSL 29 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8076 — Thickness: 14.4 mm

Information: AP Racing

Compounds: RSL 29 | RST 1 | RS 14



Related Shape No. :	4349	-	-	-	-	-
Thickness (mm) :	16	-	-	-	-	-

Shape No.: 8077 — Thickness: 13.1 mm

Information: Mazda

Compounds: RSL 29 | RS 44



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8078 — Thickness: 16 mm

Information: Caparo AP

Compounds: RST 4 | RS 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8081 — Thickness: 17 mm

Information: Aston Martin / Audi / Brembo / Cadillac / Chevrolet Mercedes / Nissan

Compounds: RSL 1 | RSL 29 | RSC 1 | RSC 2 | RSC 3 | RS 14



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8082 — Thickness: 15 mm

Information: Mazda

Compounds: RSL 1 | RSL 29 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8083 — Thickness: 17 mm

Information: Brembo / Ferrari

Compounds: RSL 1 | RSL 29 | RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8084 — Thickness: 16.7 mm

Information: BMW

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8085 — Thickness: 17 mm

Information: BMW

Compounds: RSL 1 | RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8086 — Thickness: 18 mm

Information: -

Compounds: RSH 3 | RSH 29E



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8087 — Thickness: 25 mm

Information: Aston Martin / Audi / Brembo / Chevrolet Lamborghini / Ligier

Compounds: RSL 1 | RSL 2 | RSL 29 | RS 14 | RST 1 | RST 2 | RST 3 | RST 5



Related Shape No. :	2488	2687	8038	8173	-	-
Thickness (mm) :	29	20	22	31	-	-

Shape No.: 8088 — Thickness: 18 mm

Information: Mercedes

Compounds: RSL 29 | RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8089 — Thickness: 15.7 mm

Information: Mercedes

Compounds: RSL 29 | RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8090 — Thickness: 22 mm

Information: Alcon / AP Racing / Brembo

Compounds: RST 2



Related Shape No. :	1842	1908	-	-	-	-
Thickness (mm) :	18	24	-	-	-	-

Shape No.: 8091 — Thickness: 16 mm

Information: Brembo / Chevrolet / Ferrari / McLaren

Compounds: RSL 19 | RSC 1 | RSC 2 | RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8092 — Thickness: 29 mm

Information: Alpina / PFC

Compounds: RSL 1, RSL 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8093 — Thickness: 28.5 mm

Information: Alpina / Ginetta / PFC

Compounds: RSL 1, RST 3, RST 4



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8094 — Thickness: 19 mm

Information: Mercedes

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8096 — Thickness: 18.5 mm

Information: Audi / Ford

Compounds: RSL 1, RSL 19



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8100 — Thickness: 29 mm

Information: Alcon / Audi / Brembo / Ferrari

Compounds: RSL 1, RSL 2, RSL 19, RSL 29, RST 1, RST 2



Related Shape No. :	8101	8102	8103	8194	-	-
Thickness (mm) :	25	21	31	26	-	-

Shape No.: 8101 — Thickness: 25 mm

Information: Brembo / Ferrari / Lamborghini / Mercedes

Compounds: RSL 1, RSL 19, RSL 29, RST 1, RST 2, RST 3



Related Shape No. :	8100	8102	8103	8194	-	-
Thickness (mm) :	29	21	31	26	-	-

插图仅用于识别。保留修改，设计或应用模型的权利。即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8102 — Thickness: 21 mm

Information: Brembo

Compounds: on inquiry



Related Shape No. :	8100	8101	8103	8194	-	-
Thickness (mm) :	29	25	31	26	-	-

Shape No.: 8103 — Thickness: 31 mm

Information: Brembo

Compounds: RSL 1 RSL 2 RST 3



Related Shape No. :	8100	8101	8102	8194	8267	-
Thickness (mm) :	29	25	21	26	18	-

Shape No.: 8113 — Thickness: 17 mm

Information: Ford Mustang rear

Compounds: RSL 29 RST 4



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8127 — Thickness: 14 mm

Information: Mazda Miata front

Compounds: RSL 29 RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8129 — Thickness: 12.5 mm

Information: Mazda Miata rear

Compounds: RSL 29 RST 4



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8173 — Thickness: 31 mm

Information: Brembo

Compounds: RSL 1 RSL 2 RSL 29



Related Shape No. :	2488	2687	8038	8087	-	-
Thickness (mm) :	29	20	22	25	-	-

插图仅用于识别。保留修改，设计或应用模型的权利。即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8174 — Thickness: 17 mm

Information: Subaru / Toyota

Compounds: RSL 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8175 — Thickness: 16 mm

Information: Toyota

Compounds: RSL 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8185 — Thickness: 15.2 mm

Information: Opel

Compounds: RSL 19



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8187 — Thickness: 16.8 mm

Information: McLaren

Compounds: RSC 1 RSC 2 RSC 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8188 — Thickness: 16.5 mm

Information: Mercedes

Compounds: RSL 1 RSL 29 RS 14



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8189 — Thickness: 18.8 mm

Information: Mercedes

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8191 — Thickness: 29 mm

Information: Brembo

Compounds: **RSL 1**



Related Shape No. :	1595	1607	1674	2704	8037	-
Thickness (mm) :	16	20	25	26.5	22	-

Shape No.: 8192 — Thickness: 28.5 mm

Information: AP Racing

Compounds: **RSL 1**



Related Shape No. :	1538	1903	8018	-	-	-
Thickness (mm) :	25	18	17	-	-	-

Shape No.: 8193 — Thickness: 22 mm

Information: AP Racing / Brembo

Compounds: on inquiry



Related Shape No. :	1283	1705	-	-	-	-
Thickness (mm) :	20	16	-	-	-	-

Shape No.: 8194 — Thickness: 26 mm

Information: Brembo

Compounds: **RSL 1**



Related Shape No. :	8100	8101	8102	8103	-	-
Thickness (mm) :	29	25	21	31	-	-

Shape No.: 8195 — Thickness: 17 mm

Information: Wilwood

Compounds: **RSL 29**



Related Shape No. :	2205	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 8197 — Thickness: 27 mm

Information: BMW / PFC

Compounds: **RSL 1** **RSL 29**



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8200 — Thickness: 18.2 mm

Information: Alpina

Compounds: RSL 29 | RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8201 — Thickness: 19.5 mm

Information: Audi / VW

Compounds: RSL 2 | RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8203 — Thickness: 15.5 mm

Information: 2015 Mustang Performance Package

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8204 — Thickness: 17.5 mm

Information: 2015 Mustang rear

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8208 — Thickness: 16 mm

Information: Corvette & Mustang rear

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8212 — Thickness: 19 mm

Information: Citroen

Compounds: RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8214 — Thickness: 16.7 mm

Information: AP Racing / Lotus

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8216 — Thickness: 18 mm

Information: AP Racing

Compounds: RSL 2



Related Shape No. :	2126	-	-	-	-	-
Thickness (mm) :	17	-	-	-	-	-

Shape No.: 8217 — Thickness: 17 mm

Information: Brembo

Compounds: on inquiry



Related Shape No. :	8049	-	-	-	-	-
Thickness (mm) :	16	-	-	-	-	-

Shape No.: 8222 — Thickness: 25 mm

Information: AP Racing / KTM

Compounds: RSL 1 RSL 2 RST 1 RST 3



Related Shape No. :	2557	-	-	-	-	-
Thickness (mm) :	29	-	-	-	-	-

Shape No.: 8233 — Thickness: 25 mm

Information: AP

Compounds: RSL 2 RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8234 — Thickness: 15 mm

Information: Mitsubishi

Compounds: on inquiry



Related Shape No. :	1538	1903	8018	8192	-	-
Thickness (mm) :	25	18	17	28.5	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8235 — Thickness: 16.6 mm

Information: Porsche

Compounds: RSL 1 | RSL 2



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8236 — Thickness: 18.5 mm

Information: Porsche

Compounds: on inquiry



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8237 — Thickness: 17 mm

Information: AP Racing

Compounds: RSL 1 | RSL 2 | RST 3



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8238 — Thickness: 16.9 mm

Information: Front axle AMG GT / GTS

Compounds: RSL 1 | RSL 29



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8239 — Thickness: 17 mm

Information: Ford front

Compounds: RSL 29 | RST 3



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

Shape No.: 8240front — Thickness: 14.5 mm

Information: Corvette C6 Z06 / Corvette C6 Grand Sport front multi pad system 12pcs

Compounds: RSL 29 | RST 2



Related Shape No. :	-	-	-	-	-	-	
Thickness (mm) :	-	-	-	-	-	-	

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8240rear — Thickness: 14.5 mm

Information: Corvette C6 Z06 / Corvette C6 Grand Sport rear multi pad system 8pcs

Compounds: RSL 29 | RST 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8241 — Thickness: 30 mm

Information: Porsche

Compounds: RSL 1 | RST 1 | RST 2 | RST 3 | RST 5



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8242 — Thickness: 31.2 mm

Information: Porsche

Compounds: RSL 19 | RSL D1 | RST D1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8245 — Thickness: 25 mm

Information: Alcon, AP Racing

Compounds: RSL 1 | RSL 2



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8246 / 8247 — Thickness: 18.8 mm

Information: Rear axle AMG GT / GTS / GTR, set includes 2x 8246 / 2x 8247

Compounds: RSL 29 | RSC 1





Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

更多适配应用和产品功能请查询

制动片号码列表

Shape No.: 8250 — Thickness: 28.5 mm

Information: Alcon, AP Racing

Compounds: RSL 1



Related Shape No. :	1539	1904	-	-	-	-
Thickness (mm) :	25	18	-	-	-	-

Shape No.: 8251 — Thickness: 18 mm

Information: PFC

Compounds: RSL 1 | RSL 2 | RSL 29 | RST 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8253 — Thickness: 16 mm

Information: Dodge Viper

Compounds: RSC 1



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8257 — Thickness: 16 mm

Information: AMG GTS (disc 360 mm) Akebono Caliper

Compounds: RSL 29



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8258 — Thickness: 16 mm

Information: AP Racing

Compounds: RSL 1 | RST 3



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

Shape No.: 8261 — Thickness: 25 mm

Information: AP Racing / Mclaren

Compounds: RSL 2



Related Shape No. :	4346	-	-	-	-	-
Thickness (mm) :	16.7	-	-	-	-	-

插图仅用于识别。 保留修改，设计或应用模型的权利。 即使如图所示，诸如夹子，弹簧，铆钉，磨损指示器，阻尼垫片等配件，通常不是PAGID赛车刹车片的一部分。

PAGID RACING

制动片号码列表

更多适配应用和产品功能请查询

Shape No.: 8267 — Thickness: 18 mm

Information: Alcon

Compounds: RST 1 RST 3



Related Shape No. :	1595	1607	1674	2704	8037	8191
Thickness (mm) :	16	20	25	26.5	22	29

Shape No.: 8268 — Thickness: 25 mm

Information: Alcon

Compounds: RST 1 RST 3



Related Shape No. :	2475	-	-	-	-	-
Thickness (mm) :	20	-	-	-	-	-

Shape No.: 9521 — Thickness: 15.4 mm

Information: -

Compounds: RSH 42



Related Shape No. :	-	-	-	-	-	-
Thickness (mm) :	-	-	-	-	-	-

PAGID RACING

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
1141			●																			
1144				●											●							
1146*																						
1151																						●
1158			●	●								●			●	●						
1163												●			●							
1177																						●
1190																					●	
1191																				●	●	●
1192																				●	●	●
1193																					●	
1195																				●	●	
1203			●	●				●	●			●			●	●						
1204			●	●				●				●			●	●						
1265				●		●	●			●										●		●
1267			●																			
1269				●		●	●		●											●		●
1270	●			●		●	●	●		●					●							
1276				●											●							
1283						●	●	●	●	●					●	●						
1285	●			●					●			●			●	●						
1287	●			●		●	●	●	●			●			●	●	●		●			
1288															●							
1291																					●	
1295	●			●		●	●	●				●			●	●						
1323*																						
1361	●			●		●	●	●	●	●		●								●		●
1362																				●		●
1363		●		●			●		●			●				●						●
1406	●			●				●				●			●							
1408	●			●		●		●				●			●	●	●					
1427	●			●				●							●	●						
1538			●	●		●		●														
1539	●	●		●		●	●	●	●	●					●							
1544				●												●						
1580															●							

* on inquiry

PAGID RACING

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
1587			●	●					●			●			●	●						
1591															●							
1594USA*																						
1595USA*																						
1595	●		●	●		●	●	●	●	●		●			●	●						
1607	●			●		●	●	●		●		●			●							
1610															●							
1616						●	●	●		●												
1617						●		●		●												
1618	●			●																		
1619	●					●		●														
1620								●							●							
1674	●	●	●	●	●	●	●	●	●		●					●						
1678															●							
1682								●				●			●							
1702				●				●				●			●							
1703																						●
1705				●		●		●		●		●										
1712USA*																						
1743												●			●							
1744																					●	●
1749		●		●		●	●		●	●										●		●
1756				●																		
1796				●											●							
1798USA*																						
1809USA*																						
1813	●										●											
1842	●		●	●				●				●			●	●						
1852				●				●														
1896	●			●		●	●	●		●		●										
1897															●							
1903	●	●		●		●		●	●			●			●		●					
1904	●		●	●		●		●		●												
1908	●			●				●														
1916																					●	●
2016*																						

* on inquiry

PAGID RACING

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
2017	●					●		●														
2019	●					●				●												
2053*																						
2105*																						
2126	●			●		●		●		●					●							
2127	●			●				●	●	●		●			●							
2180				●		●		●														
2205						●																
2206				●		●		●														
2213				●																		
2275				●																		
2388*																						
2405	●		●	●				●	●			●			●	●	●					
2406	●		●	●				●				●			●	●						
2407				●				●				●			●	●						
2445															●							
2474			●	●				●				●			●	●						
2475						●		●														
2487	●		●	●		●		●		●		●			●		●					
2488	●	●	●	●		●	●	●														
2555	●			●		●		●	●	●		●										
2557	●			●		●	●	●														
2558	●																					
2559	●																					
2560	●					●				●												
2564	●	●				●		●														
2581USA*																						
2593												●										
2623				●											●							
2683				●																		
2685	●			●		●			●													
2687				●																		
2688			●	●		●																
2704	●	●	●	●	●						●											
2707			●	●								●				●	●		●			
2723																					●	

PAGID RACING

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
2743																	●					
2830				●												●						
2845				●																		
2905USA*																						
2931	●			●		●		●				●			●							
2959				●																		
3102									●	●		●			●	●				●	●	
3190																					●	●
3242*																						
3276															●							
3277	●			●																		
3278						●																
3279							●															
3830USA*																						
4011				●																		
4122																					●	●
4304												●								●	●	●
4345	●	●		●		●	●	●	●			●										
4346	●	●		●		●		●				●					●					
4349	●			●		●	●	●				●			●		●					
4501																				●	●	●
4503																					●	●
4507																						●
4508																					●	
4509*																						
4580																	●					
4581																	●					
4623																						●
4634																						●
4702																					●	●
4703																					●	●
4823															●							
4905																					●	●
4906																	●	●	●			
4907				●													●	●	●			
4908	●			●		●		●									●		●			

* on inquiry

PAGID RACING

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
4909	●		●	●		●		●				●	●	●								
4910												●										
4912						●		●														
4913								●														
4916						●		●														
4917	●			●													●		●			
4918	●		●	●				●									●		●			
4920	●			●		●		●														
4921	●		●	●		●		●														
4922	●			●		●		●														
4923	●	●				●		●														
4924	●			●		●		●														
4925	●		●	●		●		●									●	●	●			
4927	●			●													●	●	●			
4928	●	●	●	●		●		●														
4929	●	●	●	●	●			●			●											
4930*																						
4931	●			●																		
4932				●													●	●				
4933	●			●																		
4934				●													●					
4935																	●	●				
4936																●						
4937																	●	●				
4938																	●	●				
4939																●						
4940								●								●						
4941																	●	●				
4943																	●	●				
4945																	●					
4946																	●					
7034		●																				
7035		●																				
8000				●			●		●						●							
8001				●				●							●							
8003	●			●		●				●		●										

PAGID RACING

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
8004	●		●	●		●		●		●		●										
8005	●		●									●										
8006	●		●	●		●		●		●		●					●		●			
8007				●																		
8008	●			●				●									●					
8009															●							
8010				●																		
8011				●		●											●					
8018				●		●	●	●	●													
8019			●																			
8021	●		●				●									●	●	●				
8023	●	●		●		●		●	●	●												
8027				●																		
8028				●		●		●														
8029				●																		
8030						●		●	●	●												
8031			●																			
8032																				●	●	●
8033	●					●		●	●	●												
8034*																						
8035	●			●												●						
8037	●		●	●		●	●															
8038	●		●	●		●	●	●				●										
8039			●														●					
8040																				●		●
8041																					●	
8042																					●	●
8043				●																		
8044	●					●		●		●												
8045*																						
8046			●													●						
8049	●		●	●		●	●	●	●	●			●	●	●							
8049U													●									
8050				●		●																
8051	●		●																			
8053	●		●			●	●	●									●					

* on inquiry

PAGID RACING

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
8055																						●
8056																				●	●	
8057																				●		
8058																				●		
8059																				●	●	
8060			●	●		●	●	●	●				●	●	●							
8060U													●									
8061				●													●					
8062	●			●																		
8064			●				●	●														
8067																						●
8068																					●	
8069			●												●							
8070																					●	
8071																					●	
8074	●			●				●														
8076				●		●						●										
8077				●												●						
8078									●						●							
8081	●			●								●					●	●	●			
8082	●			●				●														
8083	●			●													●	●	●			
8084				●																		
8085	●			●																		
8086																				●	●	
8087	●	●		●		●	●	●		●		●										
8088				●													●	●	●			
8089				●													●	●	●			
8090							●															
8091			●														●	●	●			
8092	●	●																				
8093	●							●	●													
8094*																						
8096	●		●																			
8100	●	●	●	●		●	●															
8101	●		●	●		●	●	●														

PAGID RACING

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
8102*																						
8103	●	●						●														
8113				●					●													
8127				●				●														
8129				●					●													
8173	●	●		●																		
8174	●																					
8175	●																					
8185			●																			
8187																	●	●	●			
8188	●			●								●										
8189				●																		
8191	●																					
8192	●																					
8193*																						
8194	●																					
8195				●																		
8197	●			●																		
8200				●													●					
8201		●		●																		
8203				●																		
8204				●																		
8208				●																		
8212						●		●														
8214				●																		
8216		●																				
8217*																						
8222	●	●				●		●														
8233		●						●														
8234*																						
8235	●	●																				
8236*																						
8237	●	●						●														
8238	●			●																		
8239				●				●														
8240front				●			●															

* on inquiry

制动片产品系列指南

我们Pagid Racing可以提供以下型号的应用产品

Shape No.	Compounds RSL					Compounds RST						Compounds RS					Compounds RSC			Compounds RSH		
	RSL 1	RSL 2	RSL 19	RSL 29	RSL D1	RST 1	RST 2	RST 3	RST 4	RST 5	RST D1	RS 14	RS 34	RS 36	RS 42	RS 44	RSC 1	RSC 2	RSC 3	RSH 3	RSH 29E	RSH 42
8240rear				●			●															
8241	●					●	●	●		●												
8242			●		●						●											
8245	●	●																				
8246/8247				●													●					
8250	●																					
8251	●	●		●		●		●														
8253																	●					
8257				●																		
8258	●							●														
8261		●																				●
8267						●		●														
8268						●		●														
9521																						●

技术资料

PAGID Racing 制动片产品系列

拉力赛车刹车片

PAGID RSL

拉力赛，冲刺赛和赛车刹车片

PAGID RST

全能赛车刹车片

PAGID RS

赛车刹车片用于陶瓷复合材料刹车盘

PAGID RSC

老爷车赛车刹车片

PAGID RSH

PAGID赛车组件中的非金属（陶瓷）材料含量极高。 与竞争对手所用的金属材料的区别是其优越的绝热性和更高的耐热性与低热导率结合，减少到制动钳的热传递（高达60℃），防止刹车液沸腾。

所有PAGID赛车复合材料旨在最大限度地减少刹车片和刹车盘系统的磨损，同时保持最佳咬合，刹车调制和踏板感觉。 已达到或超过汽车行业当前所要求的环保标准。

PAGID Racing 制动片钢背设计



PAGID Racing采用双链接系统，即高强胶粘和机械固定。机械固定是指嵌入摩擦材料的黄铜螺柱直接焊接在背板上，以确保刹车片摩擦材料与背板之间的高强度连接。 这些黄铜螺柱的硬度比刹车盘低会随着摩擦材料一起磨损，不会对刹车盘造成损坏。

- 独特的专利系统
- 摩擦材料固定在钢背上
- 不会从钢背上脱落
- 高科技和创新只为您的爱车

为什么磨合?

将刹车片与刹车盘表面对齐，确保充分接触。

将薄层摩擦材料附着在刹车盘上以实现最佳性能。

烧尽摩擦化合物的挥发性元素，使得初始热衰减发生在磨合期间而不是比赛时间。

如果刹车片没有根据上述顺序进行适当磨合，制动系统将不会实现其最大摩擦性能，磨损特性和踏板感觉。磨合不当也可导致颤动和振动。 不同于刹车盘，刹车片不需要磨合后降温以获得最佳性能/寿命。

装车磨合过程推荐

1 磨合

在刹车盘和刹车片表面之间建立完美的接触模式

在低压和低温下从150km / h（90MPH）到大约80km / h（50MPH）间10次停止。

每次制动停止之间的距离 大约为600 - 800米 （600□800码）。

2 加热

预热以便在整个制动系统产生初始温度

从180公里/小时（112 MPH） 到约60公里/小时 （37 MPH）的中等到高压的5次制动，在制动后最快加速。

最后一站停止冷却3分钟后，速度最好 不高于100公里/小时（62英里）。

3 恢复停止

在从150km / h（90MPH）到大约80km / h（50MPH）的低压下约刹车3到5次。

每个制动停止之间的距离 大约 600 - 800米 （600□800码）。

磨合服务-预先磨合部件的使用



我们的赛车刹车片也适用于“做好比赛准备。” 欲了解更多信息，请参见第40页。 请向当地经销商咨询刹车片的预先磨合信息。

建议使用预先磨合零件，因为它们可在计算机控制的环境中运行，因此可以以非常合理的成本提供完美的性能。请记住每一公里驾驶赛车都是昂贵的!

提示

避免刹车颤振

刹车颤动是由在刹车盘的摩擦表面上的刹车垫材料的不均匀积聚引起的。 这可能发生在不适当或不完全的磨合，或在同一刹车上更换不兼容的刹车片材料时。磨合过程中， 在前5至10圈可能产生一些震颤，而当刹车盘和刹车盘充分加热时，可以从几乎不明显的振动变化到剧烈的振动。

刹车片摩擦材料不均匀转移会引发刹车盘印记，当汽车静止时，是由于当刹车系统高温时，汽车已经停止而重踩刹车踏板所致， 摩擦材料的小颗粒可以结合到刹车盘表面中，
或者刹车盘摩擦层脱离制动盘表面所致。

较大 VS.较小的刹车片

一个更大的制动片不意味着更强的制动能力，但是更大的刹车片所具有的更大热容可以提高调制，降低磨损率，
具备更持续的性能

制动片热衰减 VS.制动液热衰减

制动片热衰减

如果刹车片和刹车盘之间的温度过高，则刹车片开始排出气体时，在刹车片和刹车盘之间形成气垫。 踏板仍然僵硬，但制动能力降低。 解决方案是改进冷却，改变到更高温度范围的刹车片材料或更高质量的刹车盘。

制动液热衰减

如果有太多的能量被传递到卡钳和刹车液，它可以使制动液沸腾。 这些气泡是可压缩的， 踏板行程增加，调制性降低变成“海绵状”。 （这是一个具有警告的渐进过程）。 解决方案包括：将制动液更换为沸点较高的制动液， 使用具有更好传热性能的不同刹车片配方 ，或改善冷却，以防止刹车液 沸腾。

更新刹车液的重要性和保证刹车液的流动性再强调也不为过。

查看温度！

我们建议使用热油漆套件监测峰值刹车盘温度，其中最常见的是 3色（绿色，橙色，红色）系统。

理想情况下，绿色涂料（430° C / 806° F）应完全氧化（变白），橙色涂料（560° C / 1040° F）应逐步开始氧化，红色涂料（610° C / 1130° F）应该没有触摸或仅轻微更改。

可以使用温度带监测卡钳温度，以帮助精确定位与热度相关的系统问题。

PAGID RACING
THE DIFFERENCE IN BRAKING

是否需要进一步的提示和信息？

在我们的网站www.pagidracing.com的“信息/视频”部分或我们的YouTube频道，你可以找到各种各样的视频教程，帮助你了解我们的产品，提供有用的提示和技巧以正确应对你的制动系统。

Power
96
50
DRIVE
CAPITAL
LIQUI
MOLY
GTD

PAGID RACING

THE DIFFERENCE IN BRAKING

您的PAGID Racing产品经销商

EUROPE

TMD Performance GmbH
Lüschershofstr. 80
D-45356 Essen
Germany

Phone +49 (0)201-3609-0

info@tmdperformance.com

USA

TMD Performance, SMLLC
1035 Crooks Road
Troy, MI 48084
USA

Phone +1 248 280 4050 ext. 227

infoUSA@tmdperformance.com

www.pagidracing.com